



October 31, 2005

Ms. Bonnie Rolandelli
California RWQCB, North Coast Region
5550 Skylane Boulevard, Suite QA
Santa Rosa, CA 95403

**Re: Groundwater Monitoring Report, Third Quarter 2005, Safety-Kleen Systems, Inc.
Service Center, 5750 Commerce Boulevard, Rohnert Park, California (EPA #
CAT000613943)**

Dear Ms. Rolandelli:

Enclosed is the Groundwater Monitoring Report for the Safety-Kleen Systems, Inc. (S-K) Rohnert Park branch. The report discusses groundwater monitoring activities and presents results for the Third Quarter 2005. This report also presents an update regarding the design status of the planned multi-phase extraction system.

If you have any questions regarding this report, please feel free to call me at (307) 742-6150 or Chris Walsh (Cameron-Cole) at (510) 769-3561.

Sincerely,

A handwritten signature in black ink that appears to read "Chris". To the left of the signature, the word "for" is written above the name "Brian Culnan".

for Brian Culnan
Senior Remediation Manager
Safety-Kleen Systems, Inc.

Enclosure

cc: Mr. Steve LuQuire, S-K Plano (w/o Enclosure)
S-K Rohnert Park, Branch Manager, Branch Environmental File
Mr. Aaron Yue, DTSC Cypress
Mr. Chris Walsh, Cameron-Cole



**SEMI-ANNUAL MONITORING REPORT
THIRD QUARTER 2005
SAFETY-KLEEN SYSTEMS, INC.,
5750 COMMERCE BOULEVARD
ROHNERT PARK, CALIFORNIA**

OCTOBER 2005

Prepared For:
Safety-Kleen Systems, Inc.
1050 North 3rd Street, Suite M
Laramie, WY 82072

Prepared By:
Cameron-Cole, LLC
101 West Atlantic Ave. Bldg 90
Alameda, CA 94501

Prepared by

Chris Walsh
Hydrogeologist

Approved by

Brad Wright, RG
Principal Hydrogeologist

STATE OF CALIFORNIA
REGISTERED GEOLOGIST
#0276
Exp. 11/06
Brad Wright, RG
Principal Hydrogeologist

CERTIFICATION STATEMENT

Quarterly Progress Report
Safety-Kleen Systems, Inc., Service Center
Rohnert Park, California
EPA ID No. CAT 000613943

In accordance with Permit Condition V.C.2 and Title 22 CCR 66270.11, I certify that the information about which I have personal knowledge contained in or accompanying this submittal is true, accurate and complete. As to those portions of this submittal for which I cannot personally verify the accuracy, I certify that this submittal and all attachments were prepared at my direction in accordance with procedures designed to assure that qualified personnel properly gathered and evaluated the information submitted. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Brian Culnan
Safety-Kleen Systems, Inc.
Senior Remediation Manager

Date

10/27/05

10/27/05
BRIAN CULNAN
SPECIALIST IN SCAFFOLDING
SAFETY-KLEEN SYSTEMS INC.

TABLE OF CONTENTS

1.0	INTRODUCTION	1
2.0	GROUNDWATER MONITORING PROCEDURES	2
2.1	WATER LEVEL MEASUREMENTS	2
2.2	GROUNDWATER SAMPLING	3
3.0	GROUNDWATER MONITORING RESULTS	5
3.1	POTENTIOMETRIC SURFACE ELEVATIONS.....	5
3.2	ANALYTICAL RESULTS AND EVALUATION	5
4.0	QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC)	8
5.0	PROJECTED WORK AND RECOMMENDATIONS	10
6.0	REFERENCES.....	12

LIST OF FIGURES

- FIGURE 1: SITE LOCATION MAP
- FIGURE 2: SITE PLAN
- FIGURE 3: POTENIOMETRIC SURFACE ELEVATION CONTOURS – UPPER WATER-BEARING ZONE, AUGUST 17, 2005
- FIGURE 4: POTENIOMETRIC SURFACE ELEVATION CONTOURS – LOWER WATER-BEARING ZONE, AUGUST 17, 2005
- FIGURE 5: GROUNDWATER CHEMICAL CONCENTRATIONS – UPPER WATER BEARING ZONE, AUGUST 2005
- FIGURE 6: GROUNDWATER CHEMICAL CONCENTRATIONS – LOWER WATER BEARING ZONE, AUGUST 2005

LIST OF TABLES

- TABLE 1: WELL CONSTRUCTION DETAILS
- TABLE 2: POTENIOMETRIC SURFACE ELEVATION DATA, AUGUST 17, 2005
- TABLE 3: HISTORICAL GROUNDWATER ELEVATIONS
- TABLE 4: HISTORICAL SUMMARY OF COMPOUNDS DETECTED IN GROUNDWATER

LIST OF APPENDICES

- APPENDIX A: SAMPLING EVENT DATA SHEETS/ HYDRODATA SHEETS
- APPENDIX B: LABORATORY ANALYTICAL DATA SHEETS AND CHAIN-OF-CUSTODY RECORDS - GROUNDWATER
- APPENDIX C: ACCEPTANCE-REJECTION CRITERIA

1.0 INTRODUCTION

This report presents Third Quarter 2005 groundwater monitoring results for the Safety-Kleen Systems Inc., (Safety-Kleen) Service Center located at 5750 Commerce Boulevard in Rohnert Park, California (Site). The location of the Site is shown on Figure 1. A map depicting the Site and location of monitoring wells is presented on Figure 2. Monitoring was conducted in a manner consistent with the procedures outlined in the *Revised Standardized Sampling and Analysis Plan*, prepared for Safety-Kleen by TriHydro Corporation (TriHydro, 2003), and in accordance with the sampling schedule specified in the Regional Water Quality Control Board (RWQCB) Monitoring and Reporting Program No. 99-2 (MRP). The Third Quarter 2005 monitoring event was conducted on August 17, 2005 and consisted of the following tasks: 1) collection of water level measurements from all Site monitoring wells; and 2) collection of groundwater samples from 13 monitoring wells (MW-5 through MW-12 and DMW-1 through DMW-5).

This report also presents an update regarding the design status of the proposed multi-phase extraction system (see Section 5.0).

2.0 GROUNDWATER MONITORING PROCEDURES

Groundwater monitoring activities performed during the Third Quarter 2005 monitoring event included the collection of depth to groundwater measurements from all Site monitoring wells and the collection of groundwater samples from MW-5 through MW-12 and DMW-1 through DMW-5. The procedures used to conduct these activities are described below.

2.1 Water Level Measurements

Prior to purging and sampling, depth to water measurements were collected from all Site monitoring wells on August 17, 2005. Water level measurements were collected using an electronic water level meter accurate to 0.01-foot and were recorded on a hydrodata form, which is included in Appendix A. The measurements were made from the surveyed measuring point marked at the top of each well casing. Top of casing elevations for all Site monitoring wells are listed in Table 1. Note that the Third Quarter 2005 PSEs were calculated using revised top of casing elevations that were measured for the purpose of establishing the GeoTracker database. Chapman Land Surveying, Inc. conducted the survey On Thursday, October 27, 2005. The survey also included measurement of northing and easting coordinates. All of the new survey data will be uploaded to the GeoTracker database once the RWQCB notifies S-K which of the two Global ID's that have been established for the Site is appropriate for this report.

In addition to water level measurements, an oil/water interface probe accurate to 0.01-foot was used to measure for free-phase product in monitoring wells MW-1, MW-2 and MW-3. These measurements are also included on the hydrodata form.

To prevent cross-contamination between wells, the measuring probes were washed between measurements with a solution of distilled water and non-phosphate detergent (Liquinox) and then rinsed with de-ionized water.

2.2 Groundwater Sampling

Well purging was conducted using the low-flow (minimal drawdown) purging technique, as defined by the EPA (EPA, 1996). Well purging for monitoring wells in the upper water-bearing zone (MW-5 through MW-12) was conducted using a peristaltic pump. For lower water-bearing zone wells (DMW-1 through DMW-5), well purging was conducted using a two-inch electric submersible pump. To purge the upper water-bearing zone wells, a clean length of polyethylene tubing was attached to the peristaltic head and lowered into the well until the tubing intake was located approximately in the middle of the screened interval. A clean length of polyethylene tubing was attached to the other end of the peristaltic head for discharge. New polyethylene tubing and silicon head hose were used at each well.

To purge the lower zone wells, the submersible pump was slowly lowered into each well until the pump intake was positioned in the middle of the screened interval. Groundwater was pumped from the well to the surface through clean ½-inch diameter polyethylene tubing. To minimize potential cross-contamination between wells, the pumps were cleaned prior to initial use and after pumping at each well by pumping a diluted Liquinox solution through the pump for approximately 5 minutes followed by a de-ionized water rinse.

During purging, pumping rates were constantly monitored and adjusted as necessary to minimize drawdown within the well and physical parameters were collected at approximately two to three minute intervals. Once parameter stabilization was achieved (defined below), samples were collected directly from the discharge tubing.

To ensure collection of representative groundwater samples, well purging continued until pH, temperature and EC values had stabilized to within 0.10 pH units, 1.0 degree Celsius, and 10% EC, respectively, in two consecutive parameter collections and the turbidity was below 50 Nephelometric Turbidity Units (NTUs). Sampling Event Data Sheets containing monitoring parameters are included in Appendix A.

Purge and decontamination water was contained in a 30-gallon drum and managed in accordance with appropriate regulations through the S-K waste management program.

All groundwater samples were analyzed for volatile organic compounds (VOCs) using Environmental Protection Agency (EPA) Method 8260B. Following sample collection, the samples were labeled and placed in an ice-chilled cooler for shipment under chain-of-custody protocol to Entech Analytical Labs, Inc. (Entech), located in Santa Clara, California. Entech is certified by the state of California to perform the analyses required for the Site.

3.0 GROUNDWATER MONITORING RESULTS

3.1 Potentiometric Surface Elevations

Potentiometric surface elevations (PSEs) calculated from the August 2005 depth to groundwater measurements are presented in Table 2. For reference, historical potentiometric surface elevation data are presented in Table 3. Review of the August 2005 data indicates that PSEs decreased between the First Quarter 2005 and the Third Quarter 2005 monitoring events in both the upper and lower water bearing zones. With the First Quarter 2005 PSE data adjusted to reflect the new survey data, the average PSE decrease in the upper zone wells was 0.86 feet. In the lower zone, the average decrease was 0.86 feet. These decreases are consistent with historical seasonal fluctuations.

As indicated in Table 2, floating product was not detected in wells MW-1, MW-2 or MW-3.

The August 2005 PSE data were used to generate the potentiometric surface elevation contours presented on Figures 3 and 4 for the upper water-bearing and lower water-bearing zones, respectively. The direction of groundwater flow beneath the Site can be inferred from these contours. As indicated, the direction of groundwater flow in both zones is toward the southwest. Historically, the groundwater flow direction in both zones is more commonly observed to be toward to the south/southeast. However, a southwesterly groundwater flow direction was also observed in both zones in February 2005.

The hydraulic gradient across the Site within the upper water-bearing zone is very flat, averaging approximately 0.003 feet per foot (ft/ft). In the lower water-bearing zone, the average hydraulic gradient is 0.004 ft/ft. The hydraulic gradients in the upper and lower water bearing zones are generally consistent with historical observations.

3.2 Analytical Results and Evaluation

A summary of current and historical analytical results is presented in Table 4. Laboratory analytical data sheets and chain-of-custody records are presented in Appendix B. In addition, these results will

be uploaded to the GeoTracker database. Maps depicting the chemical distribution detected in groundwater samples from the upper and lower water bearing zones are presented on Figures 5 and 6, respectively.

The Third Quarter 2005 analytical results are generally consistent with historical results and the chemicals detected are similar to those detected during previous events. Results that exceed Water Quality Objectives (WQOs) for the Site and significant trends, if any, are discussed below.

Upper Water-Bearing Zone Wells

- MW-5 Cis-1,2-Dichloroethene (DCE) was detected in the groundwater sample collected from MW-5 at a concentration of 69 micrograms per liter ($\mu\text{g}/\text{L}$). This is the highest detected concentration of cis-1,2-DCE to date in a sample collected from this well.
- MW-6 Tetrachloroethene (PCE) was not detected above the method detection limit of 0.5 $\mu\text{g}/\text{L}$ in the groundwater sample collected from MW-6. This is the first time that PCE has not been in a groundwater sample collected from MW-6.
- MW-7 PCE and TCE were detected at low concentrations of 7.0 $\mu\text{g}/\text{L}$ and 1.5 $\mu\text{g}/\text{L}$, respectively, in the groundwater sample collected from this well. These are the lowest detected concentrations of these compounds since March 2000. This is also the first time since that TCE has been detected at a concentration below the WQO of 5.0 $\mu\text{g}/\text{L}$ since August 2001.
- MW-12 PCE was detected in the groundwater sample collected from upgradient well MW-12 at a concentration of 35 micrograms per liter ($\mu\text{g}/\text{L}$). This is the highest detected concentration of PCE to date in a sample collected from this well and is the first time that PCE has been detected at a concentration in excess of the WQO.

Lower Water-Bearing Zone Wells

DMW-1 As indicated in Table 4, compounds such as PCE and TCE have sporadically been detected at concentrations above WQOs throughout the monitoring history of the well. The historical data indicates that the highest detections often occur during first quarter events, when water levels are typically highest. The Third Quarter 2005 results support this trend. As indicated, PCE decreased from 5.6 µg/L to <0.5 µg/L and TCE decreased from 26 µg/L to 6.0 µg/L.

4.0 QUALITY ASSURANCE AND QUALITY CONTROL (QA/QC)

Three types of QA/QC samples were collected during the Third Quarter 2005 monitoring event. These included a blind duplicate sample, two equipment rinse blanks and a trip blank. The QA/QC analytical laboratory reports are included in Appendix B. The QA/QC sample results are discussed below.

Blind Duplicate

A blind duplicate sample (MW-13) was collected from MW-5 and analyzed for VOCs. The duplicate results are included in Table 4. As indicated, the analytical results for the primary and duplicate samples were generally similar. Using the EPA's acceptance-rejection criteria presented as Appendix C for evaluation of consistency between primary and duplicate results, the relative percent difference (RPD) was calculated for each analyte detected above 10 µg/L. As indicated in Table 4, cis-1,2-DCE and PCE were the only compounds detected at a concentration in excess of 10 µg/L in both the primary and duplicate samples. The RPD calculated for these compounds were 14 percent and 25 percent, respectively, which meets the acceptance criteria.

Equipment Rinse Blank

Equipment rinse blanks RB-01 and RB-02 were collected at MW-6 and DMW-1, respectively, and analyzed for VOCs. The blanks were collected to verify that field decontamination procedures were effective at preventing cross contamination between wells. RB-01 was collected from the water level meter after use at MW-6 and following decontamination as described in Section 2.1. RB-02 was collected from the two-inch submersible pump following use at DMW-1. The rinse blank was collected after cleaning the pump using the decontamination procedures described in Section 2.2. Laboratory provided de-ionized water was poured over the equipment and collected in the appropriate laboratory supplied sample containers. Rinse blank results are included in the laboratory analytical report that is provided in Appendix B. As indicated, no compounds were detected in the rinse blanks, indicating that the field decontamination procedures were effective.

Trip Blank

One laboratory provided trip blank was collected for VOC analysis during the Third Quarter 2005 sampling event. The trip blank was collected prior to collection of the first groundwater sample and accompanied the samples at all times until delivery to Entech. The analytical results (included in Appendix B) indicate that no compounds were detected in the trip blank.

5.0 PROJECTED WORK AND RECOMMENDATIONS

- The next sampling event will be conducted in the February 2006. The event will include collection of depth to groundwater measurements from all Site monitoring wells and groundwater sampling in accordance with the schedule for annual monitoring. All groundwater samples will be analyzed for VOCs using EPA Method 8260B. In addition, groundwater samples will be collected from MW-1, MW-2, MW-3, MW-6 and MW-8 for analysis of total petroleum hydrocarbons as mineral spirits using EPA Method 8015 Modified.
- As reported to the RWQCB in the First Quarter 2005 Groundwater Monitoring Report, S-K was ready to submit the 100% design package for the multi-phase extraction system to the RWQCB when a change in the management of the POTW was implemented by the City of Rohnert Park. The change included assessment of a hookup fee in excess of \$100,000 in order to discharge extracted groundwater. S-K evaluated several alternative options to discharge to the sanitary sewer to determine if more cost effective discharge options were available. S-K has determined that discharge to the sanitary sewer remains the best discharge option for treated groundwater, with one modification. The system was redesigned to limit treated groundwater discharge to approximately 1,000 gallons per day. This will reduce the hook-up fee by approximately \$70,000, and will still produce the desired capture zone. After extensive discussions with the City of Rohnert Park, S-K has received preliminary approval of the design. Final approval will be in the form of the building permit.
- S-K has received bids for construction of the multi-phase extraction system treatment trailer and is in the process of reviewing them. Upon completion of this review, S-K will submit Requests for Quotations to drilling contractors for installation of two new recovery wells, and to remediation contractors for conversion of existing monitoring well MW-1 for potential future use as a recovery well, construction of the conveyance pipeline and associated trenching, piping connections to the treatment trailer, piping connections from the treatment trailer to the sanitary sewer, anchorage of the treatment trailer, electrical hook-up to the building, and system start-up. It is anticipated that construction bids will be received by the end of the year. The remaining

schedule will be based upon construction of the treatment trailer and delivery to the Site, which should occur by mid-January 2006. S-K will provide the RWQCB with updates as events warrant.

6.0 REFERENCES

TriHydro Corporation, 2003. "Revised Standardized Sampling and Analysis Plan; Corrective Action Projects Safety-Kleen Systems, Inc.", February 25, 2003.

EPA, 1996. "EPA Ground Water Issue: Low-Flow (Minimal-Drawdown) Ground-water Sampling Procedures," April 1996.

TABLES

Table 1
Well Construction Details
Safety-Kleen Systems, Inc., Service Center
5750 Commerce Boulevard
Rohnert Park, California

Well Name	Date Installed	Screen Diameter (inches)	Slot Size (inches)	TOC Elevation¹ (ft. msl)	Approximate Screened Interval (ft. bgs)
MW-1	4/4/1989	4	0.02	95.54	8 - 14
MW-2	4/4/1989	4	0.02	96.03	8 - 14
MW-3	4/5/1989	4	0.02	95.60	8 - 14
MW-4	9/26/1990	4	0.02	96.05	7 - 15
MW-5	9/26/1990	4	0.02	95.45	7 - 15
MW-6	9/27/1990	4	0.02	95.57	7 - 15
MW-7	9/27/1990	4	0.02	94.88	7 - 15
MW-8	9/27/1990	4	0.02	96.17	6 - 14
MW-9	2/16/1995	2	0.02	96.22	10 - 15
MW-10	5/4/1999	2	0.02	95.28	5 - 15
MW-11	10/9/2002	2	0.02	94.72	8 - 13
MW-12	10/9/2002	2	0.02	95.30	8 - 13
DMW-1	2/15/1995	2	0.02	95.37	23 - 28
DMW-2	2/16/1995	2	0.02	95.98	23 - 28
DMW-3	5/4/1999	2	0.02	95.42	23 - 28
DMW-4	10/9/2002	2	0.02	94.85	19 - 26
DMW-5	10/9/2002	2	0.02	95.20	22 - 27

Notes:

TOC = top of well casing

ft. = feet

msl = mean sea level datum

bgs = below ground surface

¹ - Wells re-surveyed on October 27, 2005

Table 2
Potentiometric Surface Elevation Data
Safety-Kleen Rohnert Park
August 17, 2005

Monitoring Well	Top of Casing Elevation (ft., msl.)	Depth to Water (ft., btoc)	Depth to Product (ft., btoc)	Product Thickness (feet)	Adjusted Water Level Elevation (ft., msl.)
MW-1	95.54	7.57	NP	0.00	87.97
MW-2	96.03	7.59	NP	0.00	88.44
MW-3	95.60	7.45	NP	0.00	88.15
MW-4	96.05	7.49	NA	NA	88.56
MW-5	95.45	7.44	NA	NA	88.01
MW-6	95.57	7.66	NA	NA	87.91
MW-7	94.88	7.20	NA	NA	87.68
MW-8	96.17	7.55	NA	NA	88.62
MW-9	96.22	8.39	NA	NA	87.83
MW-10	95.28	7.85	NA	NA	87.43
MW-11	94.72	6.58	NA	NA	88.14
MW-12	95.30	7.26	NA	NA	88.04
DMW-1	95.37	7.51	NA	NA	87.86
DMW-2	95.98	8.05	NA	NA	87.93
DMW-3	95.42	7.67	NA	NA	87.75
DMW-4	94.85	6.95	NA	NA	87.90
DMW-5	95.20	7.70	NA	NA	87.50

Notes:

- ft., msl = Feet relative to mean sea level
- ft., btoc = feet below top of casing
- NA = Not Applicable
- NP = Not Present

Table 3
Historical Groundwater Elevations (ft., msl)
Safety-Kleen Rohnert Park

Date	MW-1	MW-2	MW-3	MW-4	MW-5	MW-6	MW-7	MW-8	MW-9	MW-10	MW-11	MW-12	DMW-1	DMW-2	DMW-3	DMW-4	DMW-5
Mar-94	90.12	90.24	90.49	90.47	90.45	90.14	90.19	90.19	-	-	-	-	-	-	-	-	-
Apr-94	88.92	89.09	89.25	89.36	89.38	88.90	89.01	88.97	-	-	-	-	-	-	-	-	-
Jun-94	88.29	88.43	88.61	88.75	88.77	88.25	88.32	88.29	-	-	-	-	-	-	-	-	-
Sep-94	87.98	87.60	87.75	87.93	88.19	87.42	87.49	87.42	-	-	-	-	-	-	-	-	-
Dec-94	89.69	89.95	90.22	90.34	90.35	89.55	89.73	89.52	-	-	-	-	-	-	-	-	-
Mar-95	92.87	92.68	93.20	93.43	93.15	92.65	92.72	92.56	92.64	-	-	-	93.02	92.70	-	-	-
Jun-95	89.93	89.98	90.16	90.21	90.27	89.85	89.86	89.76	89.84	-	-	-	90.27	89.76	-	-	-
Sep-95	87.94	88.10	88.26	87.93	88.81	87.95	88.04	87.91	87.94	-	-	-	88.62	87.95	-	-	-
Dec-95	87.83	88.11	88.30	88.28	89.03	87.81	88.01	87.78	87.84	-	-	-	89.00	87.84	-	-	-
Mar-96	94.37	92.60	92.62	92.23	92.19	91.71	92.09	92.04	91.99	-	-	-	92.16	92.04	-	-	-
Jun-96	89.40	89.45	89.63	89.78	89.62	89.28	89.32	89.35	89.54	-	-	-	90.02	89.32	-	-	-
Sep-96	87.66	87.99	87.96	88.13	88.41	87.64	87.75	87.66	87.66	-	-	-	88.39	87.69	-	-	-
Dec-96	90.54	90.44	90.67	90.45	90.82	89.97	90.22	89.06	90.08	-	-	-	90.76	90.10	-	-	-
Mar-97	90.12	90.04	90.16	90.11	90.11	89.95	89.84	88.84	89.85	-	-	-	90.13	89.84	-	-	-
Sep-97	87.51	87.59	87.72	87.90	88.09	87.34	87.44	86.35	87.35	-	-	-	88.06	87.37	-	-	-
Dec-97	89.85	89.57	89.67	89.77	89.80	89.27	89.34	88.29	89.15	-	-	-	89.68	89.31	-	-	-
Mar-98	93.81	92.05	92.06	91.99	91.36	91.72	91.48	90.76	91.62	-	-	-	91.36	91.61	-	-	-
Jun-98	90.92	90.04	89.87	90.24	89.93	89.74	89.67	89.75	89.96	-	-	-	89.92	89.54	-	-	-
Sep-98	88.07	87.94	87.99	88.22	88.27	87.79	87.85	87.81	87.79	-	-	-	88.26	87.79	-	-	-
Dec-98	90.16	90.00	89.47	90.17	90.41	89.68	89.82	87.81	89.68	-	-	-	90.16	89.68	-	-	-
Mar-99	93.96	91.53	91.60	91.53	91.38	91.17	91.20	91.20	91.13	-	-	-	91.39	91.15	-	-	-
Apr-99	92.27	91.39	91.40	91.39	91.10	90.97	90.98	91.04	91.00	-	-	-	91.14	91.00	-	-	-
Jun-99	88.97	88.85	88.89	89.08	88.96	88.58	88.61	88.62	88.61	88.69	-	-	88.95	88.61	88.36	-	-
Aug-99	87.69	87.77	87.77	88.10	88.09	87.61	87.46	87.65	87.63	87.72	-	-	88.06	87.66	87.78	-	-
Nov-99	87.96	88.05	88.27	88.32	88.74	87.75	87.93	87.71	87.76	87.80	-	-	88.66	87.77	88.18	-	-
Feb-00	90.11	89.67	89.97	89.89	90.21	89.46	89.63	89.46	89.48	89.88	-	-	90.04	89.51	89.90	-	-
Apr-00	90.03	90.29	91.95	90.36	90.42	89.94	90.03	89.92	89.95	89.98	-	-	90.43	89.96	90.02	-	-
May-00	88.93	89.18	89.43	89.46	89.21	88.90	88.92	88.95	88.91	89.01	-	-	89.19	88.93	89.02	-	-
Sep-00	86.93	87.14	87.27	87.40	87.58	87.00	87.07	87.05	87.01	87.29	-	-	87.58	87.03	87.29	-	-
Mar-01	90.61	90.96	90.93	90.97	91.16	90.45	90.60	90.42	90.48	90.76	-	-	91.16	90.50	90.78	-	-
Aug-01	86.81	87.04	87.27	87.34	87.50	86.94	86.99	87.00	86.96	87.18	-	-	87.50	86.97	87.14	-	-
Mar-02	90.17	90.78	91.32	90.76	91.00	90.21	90.28	90.38	90.03	90.63	-	-	90.13	89.73	89.14	-	-
Sep-02	86.49	86.81	87.14	88.52	88.51	87.48	87.50	87.47	87.46	87.62	-	-	88.50	87.46	87.78	-	-
Oct-02	86.42	86.75	87.08	88.52	88.50	87.37	87.42	87.34	87.37	87.77	87.64	88.73	88.45	87.38	NS	88.72	87.71
Nov-02	87.95	88.25	88.65	88.69	88.78	87.92	88.05	87.93	87.98	88.30	88.02	88.79	88.86	87.92	88.35	88.94	88.31
Mar-03	89.29	89.55	89.93	89.75	89.48	89.23	89.36	89.28	89.26	89.29	89.04	89.56	89.58	89.30	89.25	89.65	89.47
May-03	89.55	89.83	90.31	90.03	89.68	89.59	89.63	89.61	89.53	89.50	89.23	89.73	89.54	89.55	89.56	89.44	88.88
Aug-03	86.54	86.74	86.81	88.02	87.96	87.55	87.51	87.58	87.54	87.59	87.54	88.03	87.94	87.53	87.56	88.03	87.58
Feb-04	91.02	91.10	91.33	91.43	91.43	90.66	90.64	90.63	90.84	90.87	90.81	91.48	91.00	90.76	90.90	91.37	90.88
Aug-04	87.74	87.85	87.96	88.23	87.89	87.76	87.68	87.74	87.65	87.66	87.47	87.98	87.86	87.43	87.54	87.97	87.50
Feb-05	90.46	90.64	91.30	90.78	90.08	90.31	90.11	90.38	90.29	90.03	89.62	90.17	90.11	90.31	89.95	90.18	89.74
Aug-05	87.97	88.44	88.15	88.56	88.01	87.91	87.68	88.62	87.73	87.43	88.14	88.04	87.86	87.93	87.75	87.90	87.50

Notes:

NS = Not Sounded

ft., msl = feet relative to mean sea level

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date															
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO	NE	NE	0.7	NE	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-1	12/07/93	5600	-	16	-	-	9.0	-	-	-	240	320	13	120	2	-
	12/13/94	2400	-	12	-	-	4.3	1.1	-	-	55	82	7.4	39	-	-
	03/14/95	4700	-	-	-	-	-	-	-	-	1.1	10	1.3	6.1	-	-
	03/06/96	94.3	-	-	1.4	-	-	-	-	-	-	5.4	-	2.6	-	-
	03/05/98	4340	-	-	-	-	-	-	-	-	-	2.2	-	3.3	-	-
	08/18/99	190	-	-	-	-	27	-	-	-	1.8	3.9	-	7.3	-	1.3
	11/18/99	-	7.9	-	-	-	23	-	-	-	2.0	3.8	1.8	9.4	-	1.2
	02/09/00	1900	12	-	-	-	23	-	-	-	2.0	3.0	4.0	14	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-
	04/18/00	1800	68**	-	-	-	18	-	-	1.0	2.0	4.0	2.0	7.0	-	-
	05/30/00	4800	38	2.0	-	-	45	-	-	-	4.0	4.0	2.0	10	-	-
	09/13/00	1200	27	-	-	-	42	-	-	-	4.0	-	-	-	-	-
	03/06/01	3700	-	-	-	-	46	-	-	-	1.0	5.0	5.0	23	-	-
	03/12/02	1700	<50	<5.0	<5.0	<5.0	89	<5.0	<5.0	<5.0	<5.0	6.2	<5.0	31	<5.0	<5.0
	03/05/03	300	<6.0	0.83	<1.0	<1.0	87	<1.0	<0.5	<1.0	1.8	3.1	5.4	31	<0.5	<1.0
	02/17/04	490	<20	<0.5	<0.5	<0.5	20	<0.5	<0.5	<0.5	<0.5	1.6	3.5	19	<0.5	<0.5
	02/10/05	270	<20	<0.5	<0.5	<0.5	6.6	<0.5	<0.5	<0.5	<0.5	<0.5	1.1	5.8	<0.5	<0.5
MW-2	03/05/98	68,400	-	-	-	-	-	-	-	-	2.4	12.1	1.4	7.2	-	2.6
	04/01/99	283	-	-	-	-	-	-	-	-	-	10.1	-	7.6	-	-
	08/18/99	620	-	1.6	-	-	47	1.5	-	-	5.7	16	4.7	16	-	2.9
	11/18/99	9600	10.9	-	-	-	31.8	-	-	-	2.3	15.4	3.2	15.1	-	-
	02/09/00	6900	-	-	-	-	16	-	-	-	-	13	-	14	-	-
	03/09/00	2900	-	-	-	-	-	-	-	-	-	11	2.0	9.0	-	-
	04/18/00	8900	410**	-	-	-	14	-	11	3.0	3.0	22	5.0	21	-	-
	05/30/00	12000	320	-	-	-	17	2.0	8.0	2.0	6.0	28	6.0	22	-	-
	09/13/00	3700	72	-	-	-	60	-	-	-	10	29	7.0	29	-	-
	03/06/01	3000	-	-	-	-	25	-	-	-	2.0	12	3.0	15	-	-
	03/12/02	1900	<50	<5.0	<5.0	<5.0	150	<5.0	<5.0	<5.0	<5.0	44	7.3	44	<5.0	<5.0
	03/05/03	1600	<12	1.6	<2.0	<2.0	160	<2.0	<1.0	<2.0	2.2	19	6.5	33	<1.0	<2.0
	02/17/04	1400	<20	0.93	<0.5	<0.5	88	<0.5	<0.5	<0.5	0.85	9.5	4.7	25	<0.5	<0.5
	02/10/05	1600	<40	1.8	<1.0	<1.0	180	<1.0	<1.0	<1.0	1.4	13	7.9	43	<1.0	<1.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)	Chloro-toluene	n-Butyl-benzene	sec-butyl-benzene	
WQO		10	29	13	5	200	5	150	NE	NE	42	0.5	17	NE	NE	NE	
MW-1	12/07/93	58	38	NA	-	47	-	-	-	-	74	580	220	-	-	-	
	12/13/94	0.6	26	NA	-	8.5	-	0.6	-	-	28	110	150	-	-	-	
	03/14/95	-	2.7	NA	0.9	-	-	-	-	-	-	2.0	15	-	-	-	
	03/06/96	-	-	NA	-	-	-	-	-	-	-	-	4.6	-	-	-	
	03/05/98	-	-	NA	-	-	-	-	-	-	-	-	1.5	-	NA	-	
	08/18/99	-	-	-	-	-	-	-	9.1	1.3	-	1.5	5.4	2.9	-	-	
	11/18/99	-	1.1	-	-	-	-	-	12.4	1.9	-	1.7	9.1	3.8	1.5	1.3	
	02/09/00	-	-	-	-	-	-	-	11	3.0	-	0.6	6.0	3.0	-	-	
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	04/18/00	-	-	-	-	-	-	-	-	-	-	-	-	2.0	1.0	-	
	05/30/00	-	-	-	-	-	-	-	-	-	-	-	-	4.0	-	1.0	
	09/13/00	-	-	1.0	-	-	-	-	-	-	-	-	-	3.0	-	-	
	03/06/01	-	-	-	-	-	-	-	8.0	-	-	-	5.0	4.0	3.0	2.0	
	03/12/02	<5.0	<5.0	<10	<5.0	<5.0	<5.0	<5.0	5.9	<5.0	<5.0	<2.5	5.9	10	<1.0	<1.0	<1.0
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	4.2	<1.0	<1.0	<0.5	6.5	8.8	1.9	1.8	-
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	0.57 **	<0.5	1.1	<5.0	<5.0	<5.0	<5.0
	02/10/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5	<5.0	<5.0	<5.0	<5.0
MW-2	03/05/98	-	-	NA	-	-	-	-	-	-	-	12.2	13.1	3.6	NA	-	
	04/01/99	-	-	NA	-	-	-	-	5.1	5.3	-	3.4	10	-	-	-	
	08/18/99	-	-	-	-	-	-	-	20	12	-	11	13	8.0	-	2.4	
	11/18/99	-	-	-	-	-	-	-	15.2	8.3	-	-	11	4.8	3.0	1.5	
	02/09/00	-	-	-	-	-	-	-	10	7.0	-	-	7.0	-	-	-	
	03/09/00	-	-	1.0	-	-	-	-	-	-	-	1.0	-	1.0	-	-	
	04/18/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2.0	
	05/30/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09/13/00	-	-	-	-	-	-	-	-	-	-	-	-	13	-	-	
	03/06/01	-	-	-	-	-	-	-	13	5.0	-	1.0	5.0	5.0	2.0	1.0	
	03/12/02	<5.0	<5.0	<10	<5.0	<5.0	<5.0	<5.0	9.0	<5.0	<5.0	5.0	8.7	13	<5.0	<5.0	<5.0
	03/05/03	<2.0	<2.0	<2.0	<1.0	<2.0	<2.0	<2.0	9.8	3.3	<2.0	2.9	7.2	11	<2.0	<2.0	<2.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	7.1	<5.0	0.84 **	0.65	4.7	6.3	<5.0	<5.0	<5.0
	02/10/05	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<10	<10	<1.0	<1.0	5.1	<10	<10	<10	<10

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	tert-butyl benzene	Isopropyl-benzene	Naphtha-lene	n-Propyl-benzene
WQO		NE	NE	20	NE
MW-1	12/07/93	-	-	-	-
	12/13/94	-	-	-	-
	03/14/95	-	-	-	-
	03/06/96	-	-	-	-
	03/05/98	-	-	NA	-
	08/18/99	-	1.2	-	1.6
	11/18/99	1.7	1.4	4.7	1.9
	02/09/00	1.0	1.0	7.0	2.0
	03/09/00	-	-	-	-
	04/18/00	-	-	-	-
	05/30/00	2.0	-	-	-
	09/13/00	-	-	-	-
	03/06/01	3.0	1.0	2.0	-
	03/12/02	5.0	NA	<1.0	<1.0
	03/05/03	3.6	2.4	4.2	2.3
	02/17/04	<5.0	<1.0	<5.0	<5.0
	02/10/05	<5.0	<1.0	<5.0	<5.0
MW-2	03/05/98	-	-	-	-
	04/01/99	-	-	-	-
	08/18/99	4.6	2.5	6.1	2.9
	11/18/99	3.3	1.7	5.5	1.9
	02/09/00	-	-	-	-
	03/09/00	-	-	2.0	-
	04/18/00	3.0	-	-	-
	05/30/00	-	-	-	-
	09/13/00	6.0	-	-	-
	03/06/01	3.0	2.0	-	1.0
	03/12/02	5.7	NA	<5.0	<5.0
	03/05/03	5.4	<2.0	<2.4	<2.0
	02/17/04	<5.0	<1.0	<5.0	<5.0
	02/10/05	<10	<2.0	<10	<10

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO		NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-3	03/20/97	537	NS	-	-	-	1.9	-	-	NS	10.1	80.3	5.0	39.7	-	3.2
	03/05/98	35,600	-	1.4	-	-	4.3	-	-	-	6.0	138	6.3	52.5	-	1.1
	04/01/99	-	-	-	-	-	43	-	-	-	-	64.4	9.3	45.6	-	-
	08/23/99	9280	-	-	-	-	189	-	-	-	3.4	44.3	11.7	64.1	-	-
	11/18/99	8700	-	-	-	-	144	-	-	-	-	47.7	-	54.5	-	-
	02/09/00	9800	-	-	-	-	76	-	-	-	-	67	19	91	-	-
	03/09/00	340	-	-	-	-	-	-	-	-	-	5.0	7.0	2.0	-	-
	04/18/00	2100	13**	-	-	-	-	-	-	-	-	2.0	-	3.0	-	-
	05/30/00	7900	-	-	-	-	-	-	-	-	-	4.0	3.0	8.0	-	-
	09/13/00	3100	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	4000	-	-	-	-	-	-	-	-	-	-	-	1.0	-	-
	03/12/02	3300	<10	<1.0	<1.0	<1.0	7.8	<1.0	<1.0	<1.0	<1.0	3.4	<1.0	4.2	<1.0	1.0
DUP	03/12/02	2600	<10	<1.0	<1.0	<1.0	7.4	<1.0	<1.0	<1.0	<1.0	3.1	<1.0	4.1	<1.0	1.0
	03/05/03	410	<6.0	<0.5	<1.0	<1.0	9.1	<1.0	<0.5	<1.0	<1.0	1.5	1.0	5.0	<0.5	<1.0
DUP	03/05/03	240	<6.0	<0.5	<1.0	<1.0	8.5	<1.0	<0.5	<1.0	<1.0	1.4	<1.0	4.8	<0.5	<1.0
	02/17/04	330	<20	<0.5	<0.5	<0.5	48	<0.5	<0.5	<0.5	<0.5	2.6	1.8	10	<0.5	<0.5
DUP	02/17/04	NA	<20	<0.5	<0.5	<0.5	45	<0.5	<0.5	<0.5	<0.5	2.5	1.7	9.5	<0.5	<0.5
	02/10/05	190	<20	<0.5	<0.5	<0.5	24	<0.5	<0.5	<0.5	<0.5	1.4	2.1	12	<0.5	<0.5
DUP	02/10/05	NA	<20	<0.5	<0.5	<0.5	23	<0.5	<0.5	<0.5	<0.5	1.3	2.0	11	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)	Chloro-toluene	n-Butyl-benzene	sec-butyl-benzene
WQO		10	29	13	5	200	5	150	NE	NE	42	0.5	17	NE	NE	NE
MW-3	03/20/97	-	-	NS	-	-	-	-	NA	NS	-	7.4	-	6.7	NA	NS
	03/05/98	-	-	NA	-	-	-	-	NA	NA	-	13.2	55.4	16.7	NA	-
	04/01/99	-	-	NA	-	-	-	-	42	6.9	-	1.9	41	22	-	-
	08/23/99	-	-	-	-	-	-	-	56.2	6.4	-	-	46.9	29.1	-	-
	11/18/99	-	-	-	-	-	-	-	63.4	-	-	-	45.7	29.7	-	-
	02/09/00	-	-	-	-	-	-	-	98	12	-	3.2	53	46	-	6.0
	03/09/00	-	-	-	-	-	-	-	4.0	-	-	-	1.0	2.0	-	-
	04/18/00	-	-	-	1.0	-	-	-	4.0	-	-	-	-	-	3.0	-
	05/30/00	-	-	-	-	-	-	-	17	-	-	-	-	6.0	-	3.0
	09/13/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	-	-	-	1.0	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	1.8	1.9	<1.0
DUP	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	1.7	1.6	<1.0
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0
DUP	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	1.3	<5.0	<5.0
DUP	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	1.3	<5.0	<5.0
	02/10/05	<0.5	<0.5	<1.0	<0.5	<0.5	1.0	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5	<5.0	<5.0	<5.0
DUP	02/10/05	<0.5	<0.5	<1.0	<0.5	<0.5	0.93	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5	<5.0	<5.0	<5.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	tert-butyl benzene	Isopropyl-benzene	Naphtha-lene	n-Propyl-benzene
WQO		NE	NE	20	NE
MW-3	03/20/97	NS	NS	NA	NS
	03/05/98	-	-	NA	-
	04/01/99	7.6	5.6	19.5	-
	08/23/99	9.2	5.8	32.6	5.4
	11/18/99	-	-	34.8	-
	02/09/00	15	-	47	-
	03/09/00	3.0	-	-	-
	04/18/00	3.0	-	-	-
	05/30/00	4.0	3.0	3.0	2.0
	09/13/00	-	-	-	-
	03/06/01	-	-	-	-
	03/12/02	<1.0	NA	<1.0	<1.0
DUP	03/12/02	<1.0	NA	<1.0	<1.0
	03/05/03	<1.4	<1.0	<1.2	<1.0
DUP	03/05/03	<1.4	<1.0	<1.2	<1.0
	02/17/04	<5.0	<1.0	<5.0	<5.0
DUP	02/17/04	<5.0	<1.0	<5.0	<5.0
	02/10/05	<5.0	<1.0	<5.0	<5.0
DUP	02/10/05	<5.0	<1.0	<5.0	<5.0

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO		NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-4	03/03/94	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	NA	-	-	-	-	-	-	NA	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	03/04/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
WQO		10	29	13	5	200	5	150	NE	NE	42	0.5	17
MW-4	03/03/94	-	-	NA	-	-	-	-	-	NA	-	-	-
	03/14/95	-	-	NA	-	-	-	-	-	NA	-	-	-
	03/06/96	-	-	NA	-	-	-	-	1.1	NA	-	-	-
	03/20/97	-	-	NA	-	-	-	-	NA	NA	-	-	-
	03/05/98	-	-	NA	-	-	-	-	NA	NA	-	-	-
	04/01/99	-	-	NA	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/04/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date														
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-5	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	1.2
	03/06/96	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	NA	-	-	-	-	-	-	2.1	1.6	-	-	-	5.7
	03/20/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	NA	-	-	-	-	-	1.9	-	-	-	-	-	6.4
	03/05/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	7.4
	06/09/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	1.8
	09/23/98	-	NA	-	-	-	-	-	-	-	36.6	-	19.7	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	2.4
	11/18/99	-	120	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	3.0	5.0	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	19	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	65**	-	2.0	14	-	-	-	-	-	-	-	-	-
	05/30/00	-	19	-	-	6.0	-	-	-	-	-	-	-	-	-
	09/12/00	-	52	-	-	19	-	-	-	-	-	-	-	-	-
	03/06/01	-	11	-	-	8.0	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.2
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	1.4
DUP	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	1.4
	03/05/03	<50	<12	<1.0	<2.0	<2.0	<2.0	<1.0	<2.0	<2.0	<2.0	<2.0	<2.0	<1.0	5.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	4.5
DUP	08/19/03	NA	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	4.6
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.2
	08/19/04	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	7.7
DUP	08/19/04	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	7.8
	02/10/05	NA	<100	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	<2.5	24
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	69
DUP	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	60

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
MW-5	03/03/94	-	-	NA	11	-	1.0	-	-	-	-	-	-
	06/07/94	-	-	NA	38	-	-	-	-	-	-	-	-
	09-20-94	-	-	NA	41	-	-	-	-	-	-	-	-
	12/13/94	-	-	NA	11	-	2.2	-	-	-	-	-	-
	03/14/95	-	-	NA	11	-	2.0	-	-	-	-	-	-
	06/19/95	-	-	NA	22.85	-	1.92	-	-	-	-	-	-
	09/13/95	-	-	NA	51	-	2.0	-	-	-	-	-	-
	12/06/95	-	-	NA	46.5	-	6.8	-	-	-	-	-	-
	03/06/96	-	-	NA	31.1	-	5.2	-	-	-	-	-	-
	06/18/96	-	-	NA	68.8	-	3.5	-	-	-	-	-	-
	09/10/96	-	-	NA	187	-	4.7	-	-	-	**	-	-
	12/17/96	-	-	NA	117.7	-	27.6	-	NA	NA	-	-	-
	03/20/97	-	-	NA	254	-	5.9	-	NA	NA	-	-	-
	06/18/97	-	-	NA	75.7	-	3.9	-	NA	NA	-	-	-
	09/17/97	-	-	NA	135	-	3.2	-	NA	NA	-	-	-
	12/29/97	-	-	NA	53.7	-	10.6	-	NA	NA	-	-	-
	03/05/98	-	-	NA	67	-	10.5	-	NA	NA	1.1	-	-
	06/09/98	-	-	NA	52.8	-	4.9	-	NA	NA	-	-	-
	09/23/98	-	-	NA	71	-	-	-	NA	NA	-	-	-
	12/08/98	-	-	NA	97.7	-	-	-	-	-	-	-	-
	04/01/99	-	-	NA	130	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	136	-	3.7	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	-	-	-	-	-	-	-	-	-	-	-
	05/30/00	-	-	1.0	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/01	-	-	2.0	4.0	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	21	-	-	-	-	-	-	-	-
	03/12/02	<5.0	<5.0	<10	110	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	09/30/02	<1.0	<1.0	3.6	93	<1.0	4.3	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	11/18/02	<1.0	<1.0	7.8	66	<1.0	2.3	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
DUP	11/18/02	<1.0	<1.0	8.5	67	<1.0	2.4	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/05/03	<2.0	<2.0	4.4	120	<2.0	4.8	<2.0	<2.0	<2.0	<2.0	<1.0	<2.0
	08/19/03	<1.0	<1.0	2.9	120	<1.0	4.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
DUP	08/19/03	<1.0	<1.0	3.0	110	<1.0	4.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	5.1	130	<0.5	4.0	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<2.5	<2.5	<5.0	210	<2.5	8.1	<2.5	<25	<25	<2.5	<2.5	<7.5
DUP	08/19/04	<2.5	<2.5	<5.0	210	<2.5	8.1	<2.5	<25	<25	<2.5	<2.5	<7.5
	02/10/05	<2.5	<2.5	<5.0	200	<2.5	11	<2.5	<25	<25	<2.5	<2.5	<7.5
	08/17/05	2.1	<0.5	7.3	120	<0.5	9.0	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5
DUP	08/17/05	2.2	<0.5	6.9	93	<0.5	9.2	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date														
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-6	09/09/93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/07/93	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	1.4
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	NA	-	-	-	-	-	NA	-	-	-	-	-	1.7
	03/20/97	-	NA	-	-	-	-	-	NA	-	-	-	-	-	5.4
	06/18/97	-	NA	-	-	-	-	-	NA	-	-	-	-	-	-
	09/17/97	-	NA	-	-	-	-	-	NA	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	1.2	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	1.0	-	-	-	-	-	-	-	7.9
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	1.3	-	-	-	-	-	-	-	1.4
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	6.0
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	15
	04/18/00	-	3.0	-	-	-	-	-	-	-	-	-	-	-	16
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0
	03/06/01	-	-	-	-	-	-	-	-	-	-	-	-	-	3.0
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DUP	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	6.6
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.4
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.9
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	1.7
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	4.3
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.7
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/10/05	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
MW-6	09/09/93	-	-	NA	-	-	-	-	-	-	-	-	-
	12/07/93	-	-	NA	5.0	-	0.6	-	-	-	-	-	-
	03/03/94	-	-	NA	5.0	-	2	-	-	-	-	-	-
	06/07/94	-	-	NA	5.6	-	-	-	-	-	-	-	-
	09-20-94	-	-	NA	12	-	-	-	-	-	-	-	-
	12/13/94	-	-	NA	8.3	-	-	-	-	-	-	-	-
	03/14/95	-	-	NA	5.3	-	0.4	-	-	-	-	-	-
	06/19/95	-	-	NA	1.9	-	-	-	-	-	-	-	-
	09/13/95	-	-	NA	5.0	-	-	-	-	-	-	-	-
	12/06/95	-	-	NA	45	-	3.0	-	-	-	-	-	-
	03/06/96	-	-	NA	23.2	-	3.3	-	-	-	-	-	-
	06/18/96	-	-	NA	8.4	-	-	-	-	-	-	-	-
	09/10/96	-	-	NA	14.8	-	4.9	-	-	-	-	-	-
	12/17/96	-	-	NA	130.8	-	4.1	-	NA	NA	-	-	-
	03/20/97	-	-	NA	39.9	-	4.0	-	NA	NA	-	-	-
	06/18/97	-	-	NA	28.3	-	2.7	-	NA	NA	-	-	-
	09/17/97	-	-	NA	100	-	3.9	-	NA	NA	-	-	-
	12/29/97	-	-	NA	29.6	-	4.7	-	NA	NA	-	-	-
	03/05/98	-	-	NA	33.6	-	11.4	-	NA	NA	-	-	-
	06/09/98	-	-	NA	17.2	-	7.1	-	NA	NA	-	-	-
	09/23/98	-	-	NA	9.2	-	-	-	NA	NA	-	-	-
	12/08/98	-	-	NA	29.4	-	-	-	-	-	-	-	-
	04/01/99	-	-	NA	17	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	12	-	1.5	-	-	-	-	-	-
	11/18/99	-	-	-	49.1	-	4.9	-	-	-	-	-	-
	02/09/00	-	-	-	62	-	8.0	-	-	-	-	-	-
	03/09/00	-	-	-	22	-	6.0	-	-	-	-	-	-
	04/18/00	-	-	-	24	-	4.0	-	-	-	3.0	-	1.0
	09/12/00	-	-	-	17	-	3.0	-	-	-	-	-	-
	03/06/01	-	-	-	32	-	4.0	-	-	-	-	-	-
	08/20/01	-	-	-	11	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	6.5	<1.0	2.4	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	6.7	<1.0	1.9	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
DUP	09/30/02	<1.0	<1.0	<1.0	5.7	<1.0	2.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	11/18/02	<1.0	<1.0	<1.0	13	<1.0	2.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/05/03	<1.0	<1.0	<1.0	12	<1.0	3.7	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/17/04	<0.5	<0.5	<1.0	9.0	<0.5	2.8	<0.5	<5.0	<5.0	0.59 **	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	1.1	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/10/05	<0.5	<0.5	<1.0	0.59	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	1.3	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE	
		WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	
MW-7	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12/17/96	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	03/20/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	06/18/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09/17/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	12/29/97	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	03/05/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	06/09/98	-	NA	-	-	-	-	-	-	-	-	-	-	-	-	-	
	09/23/98	-	NA	-	-	-	-	-	-	-	-	5.2	5.2	18.1	-	-	
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	08/18/99	-	6.0	-	-	-	-	-	-	-	-	-	-	-	-	-	
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	04/18/00	-	-	7.0	-	-	-	-	-	-	-	-	-	-	-	2.0	
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0	
	03/06/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	1.2	
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	4.3
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<0.5	2.2
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<0.5	4.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.3
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.8
	02/10/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	0.85
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
MW-7	03/03/94	-	-	NA	2.0	-	-	-	-	-	-	-	-
	06/07/94	-	-	NA	16	-	-	-	-	-	-	-	-
	09-20-94	-	-	NA	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	NA	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	NA	4.0	-	-	-	-	-	-	-	-
	06/19/95	-	-	NA	25.7	-	1.52	-	-	-	-	-	-
	09/13/95	-	-	NA	60	-	2	-	-	-	-	-	-
	12/06/95	-	-	NA	18.8	-	1.4	-	-	-	-	-	-
	03/06/96	-	-	NA	15.8	-	2.8	-	-	-	-	-	-
	06/18/96	-	-	NA	93.2	-	2.7	-	-	-	-	-	-
	09/10/96	-	-	NA	159	-	4.4	-	-	-	-	-	-
	12/17/96	-	-	NA	48.2	-	3.1	-	NA	NA	-	-	-
	03/20/97	-	-	NA	119	-	7.5	-	NA	NA	-	-	-
	06/18/97	-	-	NA	146.4	-	8.6	-	NA	NA	-	-	-
	09/17/97	-	-	NA	60.1	-	3.7	-	NA	NA	-	-	-
	12/29/97	-	-	NA	26.3	-	6.7	-	NA	NA	-	-	-
	03/05/98	-	-	NA	19.3	-	2.5	-	NA	NA	-	-	-
	06/09/98	-	-	NA	51	-	14.1	-	NA	NA	-	-	-
	09/23/98	-	-	NA	115	-	11.2	-	NA	NA	-	-	-
	12/08/98	-	-	NA	59.6	-	9.2	-	-	-	-	-	-
	04/01/99	-	-	NA	18	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	67	-	12	-	-	-	-	-	-
	11/18/99	-	-	1.1	40	-	5.6	-	-	-	-	-	-
	02/09/00	-	-	-	19	-	6.0	-	-	-	-	-	-
	03/09/00	-	-	-	2.0	-	-	-	-	-	-	-	-
	04/18/00	-	-	1.0	14	-	3.0	-	-	5.0	-	4.0	-
	09/12/00	-	-	-	37	-	7.0	-	-	-	-	-	-
	03/06/01	-	-	-	9.0	-	4.0	-	-	-	-	-	-
	08/20/01	-	-	-	15	-	9.7	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	36	<1.0	12	<1.0	<1.0	<1.0	<0.5	<1.0	-
	09/30/02	1.5	<1.0	1.0	68	<1.0	31	<1.0	<1.0	<1.0	<0.5	<1.2	-
	03/05/03	<1.0	<1.0	<1.0	41	<1.0	8.8	<1.0	<1.0	<1.0	<0.5	<1.0	-
	08/19/03	<1.0	<1.0	<1.0	44	<1.0	22	<1.0	<1.0	<1.0	<0.5	<1.0	-
	02/17/04	<0.5	<0.5	1.3	25	<0.5	9.7	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	1.1	29	<0.5	8.2	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/10/05	<0.5	<0.5	1.0	20	<0.5	5.0	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	1.4	7.0	<0.5	1.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date														
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-8	03/03/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/07/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	6.3	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
MW-8	03/03/94	-	-	NA	0.7	-	-	-	-	-	-	-	-
	06/07/94	-	-	NA	-	-	-	-	-	-	-	-	-
	09-20-94	-	-	NA	-	-	-	-	-	-	-	-	-
	12/13/94	-	-	NA	-	-	-	-	-	-	-	-	-
	03/14/95	-	-	NA	-	-	-	-	-	-	-	-	-
	06/19/95	-	-	NA	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	NA	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	NA	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	NA	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	NA	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	NA	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	NA	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	NA	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	NA	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	NA	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	NA	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	NA	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	NA	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	1.0	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0
	09/30/02	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2	<1.0
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	0.52 **	<0.5	<1.0
	08/19/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
		WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6
MW-9	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	1.0	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0	<1.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
WQO		10	29	13	5	200	5	150	NE	NE	42	0.5	17
MW-9	03/14/95	-	-	NA	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	NA	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	NA	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	NA	-	-	-	-	-	-	-	-	1.1
	06/18/96	-	-	NA	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	NA	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	NA	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	NA	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	NA	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	NA	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	NA	-	-	-	-	-	1.1	-	-	-
	06/09/98	-	-	NA	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	NA	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	NA	-	-	-	-	-	-	-	-	-
	04/01/99	-	-	NA	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	2.0	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	1.0	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	1.1	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.2
	03/05/03	<1.0	<1.0	<1.0	0.61	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	0.84 **	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date															
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO	NE	NE	0.7	NE	NE	NE	70	100	100	NE	5	600	20	5	6	6
MW-10	06/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8.5
	08/18/99	-	6.7	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1.0
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-11	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	1.2
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/17/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
MW-12	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.6
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	03/05/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
MW-10	06/18/99	-	-	NA	-	1.6	-	-	-	-	-	-	-
	08/18/99	-	-	-	5.0	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	9.4	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	2.0	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	1.0	-	-	-	-	2.0	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	0.65	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	0.75	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5
MW-11	10/11/02	<0.5	<0.5	1.1	6.3	<0.5	2.6	<0.5	<0.6	<0.5	<0.5	<0.5	<1.2
	11/18/02	<1.0	<1.0	1.2	2.9	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/05/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	05/21/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	1.4	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/17/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5
MW-12	10/11/02	<0.5	<0.5	6.1	3.4	<0.5	<0.5	<0.5	<0.6	<0.5	<0.5	<0.5	<1.2
	11/18/02	<1.0	<1.0	10	1.9	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/05/03	<1.0	<1.0	12	2.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	05/21/03	<1.0	<1.0	9.1	3.7	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	8.6	1.6	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	9.2	1.1	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	10	1.4	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	11	2.9	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	5.0	35	<0.5	1.0	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date														
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE
WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
DMW-1	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	2.2	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	107**	93	9.8**	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/18/00	-	19**	4.0	-	-	-	-	-	-	-	-	-	-	1.0
	05/30/00	-	-	2.0**	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<50	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0	20
	04/15/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	2.1
	09/30/02	<50	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	3.3
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	4.9
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.7
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	3.2
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.1

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
DMW-1	03/14/95	-	-	NA	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	NA	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	NA	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	NA	2.7	-	-	-	-	-	-	-	-
	06/18/96	-	-	NA	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	NA	3.4	-	-	-	-	-	-	-	-
	12/17/96	-	-	NA	4.4	-	-	-	-	-	-	-	-
	03/20/97	-	-	NA	7.7	-	-	-	-	-	-	-	-
	06/18/97	-	-	NA	1.1	-	-	-	-	-	-	-	-
	09/17/97	-	-	NA	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	NA	2.0	-	-	-	-	-	-	-	-
	03/05/98	-	-	NA	8.5	-	-	-	-	-	-	-	-
	06/09/98	-	-	NA	6.5	-	-	-	-	-	-	-	-
	09/23/98	-	-	NA	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	NA	-	-	-	-	-	-	-	-	-
	04/01/99	-	16**	NA	6.5	-	18**	-	5.1**	6.5**	5.9**	-	40**
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	11/18/99	-	-	-	3.2	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	6.0	-	-	-	-	-	-	-	-
	03/09/00	-	-	-	1.0	-	-	-	-	-	-	-	-
	04/18/00	-	-	-	5.0	-	1.0	-	-	-	3.0	-	1.0
	05/30/00	-	-	-	1.0**	-	-	-	-	-	2.0**	-	3.0**
	09/12/00	-	-	-	-	-	-	-	-	-	1.0	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<5.0	<5.0	<10	250	<5.0	11	<5.0	<5.0	<5.0	<5.0	<5.0	<5.0
	04/15/02	<1.0	<1.0	<2.0	<1.0	<1.0	2.1	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	03/06/03	<1.0	<1.0	<1.0	3.2	<1.0	3.7	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	2.7	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	<1.0	5.7	<0.5	12	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	<0.5	<0.5	4.6	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	5.6	<0.5	26	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	6.0	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
		WQO	NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6
DMW-2	03/14/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	04/01/99	101**	-	11**	-	-	-	-	-	-	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	66	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
DMW-2	03/14/95	-	-	NA	-	-	-	-	-	-	-	-	-
	09/13/95	-	-	NA	-	-	-	-	-	-	-	-	-
	12/06/95	-	-	NA	-	-	-	-	-	-	-	-	-
	03/06/96	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/96	-	-	NA	-	-	-	-	-	-	-	-	-
	09/10/96	-	-	NA	-	-	-	-	-	-	-	-	-
	12/17/96	-	-	NA	-	-	-	-	-	-	-	-	-
	03/20/97	-	-	NA	-	-	-	-	-	-	-	-	-
	06/18/97	-	-	NA	-	-	-	-	-	-	-	-	-
	09/17/97	-	-	NA	-	-	-	-	-	-	-	-	-
	12/29/97	-	-	NA	-	-	-	-	-	-	-	-	-
	03/05/98	-	-	NA	-	-	-	-	-	-	-	-	-
	06/09/98	-	-	NA	-	-	-	-	-	-	-	-	-
	09/23/98	-	-	NA	-	-	-	-	-	-	-	-	-
	12/08/98	-	-	NA	-	-	-	-	-	-	-	-	-
	04/01/99	-	16**	NA	-	-	19**	-	-	6.3**	6.5**	-	41**
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/20/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	03/06/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date															
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO		NE	NE	0.7	NE	NE	70	100	100	NE	5	600	20	5	6	6
DMW-3	06/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5.9
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11/29/99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<50	<10	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	09/30/02	95	<28	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
DMW-4	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	2.8
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	02/09/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/17/05	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
		10	29	13	5	200	5	150	NE	NE	42	0.5	17
WQO													
DMW-3	06/18/99	-	-	NA	-	-	1.0	-	-	-	-	-	-
	08/18/99	-	-	-	-	-	-	-	-	-	-	-	-
	11/29/99	-	-	-	-	-	-	-	-	-	-	-	-
	02/09/00	-	-	-	-	-	-	-	-	-	-	-	-
	09/12/00	-	-	-	-	-	-	-	-	1.0	-	-	-
	03/05/01	-	-	-	-	-	-	-	-	-	-	-	-
	08/21/01	-	-	-	-	-	-	-	-	-	-	-	-
	03/12/02	<1.0	<1.0	<2.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	09/30/02	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.2
	03/06/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	19	<0.5	<1.5
	08/17/05	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5
DMW-4	10/11/02	<0.5	<0.5	<0.6	22	<0.5	1.3	<0.5	<0.6	<0.5	<0.5	<0.5	<1.2
	11/18/02	<1.0	<1.0	<1.0	2.3	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/06/03	<1.0	<1.0	<1.0	2.8	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	05/21/03	<1.0	<1.0	<1.0	1.9	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	<1.0	0.74	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	2.3	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	02/09/05	<0.5	<0.5	3.5	1.1	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	08/17/05	<0.5	<0.5	5.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date															
		TPHms	Acetone	Benzene	Bromo-benzene	Bromo-form	Chloro-benzene	Chloro-ethane	Chloro-form	Chloro-methane	1,1-DCA	1,2-DCB	1,3-DCB	1,4-DCB	1,1-DCE	cis-1,2-DCE
WQO	NE	NE	0.7	NE	NE	NE	70	100	100	NE	5	600	20	5	6	6
DMW-5	10/11/02	<50	<6.0	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.6
	11/18/02	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	03/06/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	05/21/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	08/19/03	<50	<6.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<0.5	<0.5	<1.0
	02/18/04	<50	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	08/19/04	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	2/9/2005	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
	8/17/2005	NA	<20	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5

Table 4
Historical Summary of Compounds Detected in Groundwater *
SK Rohnert Park Service Center

Well Name	Sample Date	trans-1,2-DCE	Ethyl-benzene	MTBE	PCE	1,1,1-TCA	TCE	TCFM	1,2,4-TMB	1,3,5-TMB	Toluene	Vinyl - Chloride	Xylenes (Total)
WQO		10	29	13	5	200	5	150	NE	NE	42	0.5	17
DMW-5	10/11/02	<0.5	<0.5	<0.6	<0.5	<0.5	<0.5	<0.5	<0.6	<0.5	<0.5	<0.5	<1.2
	11/18/02	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	03/06/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	05/21/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	08/19/03	<1.0	<1.0	<1.0	<0.5	<1.0	<1.0	<1.0	<1.0	<1.0	<1.0	<0.5	<1.0
	02/18/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.0
	08/19/04	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	2/9/2005	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<1.5
	8/17/2005	<0.5	<0.5	<1.0	<0.5	<0.5	<0.5	<0.5	<5.0	<5.0	<0.5	<0.5	<0.5

All results in micrograms per liter ($\mu\text{g/L}$).


TPHms = Total petroleum hydrocarbons as mineral spirits
DCA = Dichlorethane
DCB = Dichlorobenzene
DCE = Dichloroethene
MTBE = Methyl-t-butyl-Ether

PCE = Tetrachloroethene
TCA = Trichloroethane
TCE = Trichloroethene
TCFM = Trichlorofluoromethane
TMB = Trimethylbenzene

WQO = Water Quality Objective per Cleanup and Abatement Order No. 99-56.
NE = Not Established
NS = Not sampled
NA = Not analyzed
- = Not detected above associated laboratory detection limits
* Only compounds detected in at least one well are listed. For complete results, see the laboratory reports.
** Result suspect due to the presence of compound in equipment or laboratory blank at a similar concentration.
Compounds reported only for MW-1, MW-2 and MW-3. Not detected in other wells.

Concentrations of compounds detected equal to or greater than the WQO.

FIGURES




ADAPTED FROM THE "TOPO!"
COMPUTER SOFTWARE
0 2000
FEET



FIGURE 1


SITE LOCATION MAP		
5750 COMMERCE BLVD.-ROHNERT PARK, CA		
SAFETY-KLEEN SYSTEMS, INC		
SCALE: 1" = 2000'	DATE: 4/21/04	DWG NO. 2210-LOCMAP



LEGEND

AS-1	AIR SPARGE TEST WELL	SV-1	SOIL VAPOR EXTRACTION WELL
MW-1	MONITORING WELL	DMW-1	DEEP MONITORING WELL
RW-1	RECOVERY WELL	OW-1	OBSERVATION WELL

BY	DATE
DRAWN	WRB 2/9/04
REVISED	
XREF	
IMAGE ATTACH	




CAMERON-COLE

SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

FIGURE 2
SITE PLAN

SCALE: 1" = 50' DWG. NO.: 2210-01



LEGEND

MW-1	MONITORING WELL	POTENIOMETRIC ELEVATION CONTOUR
RW-1	RECOVERY WELL (Not Sounded)	* VALUE NOT USED FOR CONTOURING
87.43	GROUNDWATER ELEVATION (ft. MSL)	GROUNDWATER FLOW DIRECTION

BY	DATE
DRAWN SPS	10/27/05
REVISED	
XREF	
IMAGE ATTACH	





FIGURE 3

POTENIOMETRIC SURFACE ELEVATION CONTOURS
UPPER WATER-BEARING ZONE - AUGUST 17, 2005
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE:
1" = 50'

DWG. NO.:
2210-80



LEGEND

- ◆ DEEP MONITORING WELL (LOWER WATER-BEARING ZONE)
- 87.75 GROUNDWATER ELEVATION (ft. MSL)
- POTENIOMETRIC ELEVATION CONTOUR
- GROUNDWATER FLOW DIRECTION

BY	DATE
DRAWN SPS	10/27/05
REVISED	
XREF	
IMAGE ATTACH	





FIGURE 4

POTENIOMETRIC SURFACE ELEVATION CONTOURS
LOWER WATER-BEARING ZONE - AUGUST 17, 2005
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE:
1" = 50'

DWG. NO.:
2210-81



LEGEND


MW-1	MONITORING WELL	[NS]	= NOT SAMPLED
RW-1	RECOVERY WELL	[ND]	= NO COMPOUNDS DETECTED
OW-1	OBSERVATION WELL	[Chemical Conc. $\mu\text{g/l}$]	= COMPOUNDS DETECTED
		[Chemical Conc. $\mu\text{g/l}$]	= COMPOUNDS AT OR ABOVE MCL

BY	DATE
DRAWN DBB	10/19/05
REVISED	
XREF	
IMAGE ATTACH	



FIGURE 5
GROUNDWATER CHEMICAL CONCENTRATIONS
UPPER WATER-BEARING ZONE - AUGUST 2005
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE: 1" = 50' DWG. NO.: 2210-83




LEGEND

DMW-1
MONITORING WELL

ND = NO COMPOUNDS DETECTED

Chemical Conc. $\mu\text{g/l}$ = COMPOUNDS DETECTED

Chemical Conc. $\mu\text{g/l}$ = COMPOUNDS AT OR ABOVE MCL



BY	DATE
DRAWN DBB	10/19/05
REVISED	
XREF	
IMAGE ATTACH	



FIGURE 6

GROUNDWATER CHEMICAL CONCENTRATIONS
LOWER WATER-BEARING ZONE - AUGUST 2005
SAFETY-KLEEN SYSTEMS, INC. ROHNERT PARK, CALIFORNIA

SCALE:
1" = 50'

DWG. NO.:
2210-84

APPENDIX A

SAMPLING EVENT DATA SHEETS / HYDRODATA SHEETS

SK - ROHNERT PARK
HYDRODATA
THIRD QUARTER 2005

TECHNICIAN: *ME*

WELL OR LOCATION	DATE	TIME	MEASUREMENT	CODE	COMMENTS
MW-1	8/17/05	0445	7.57	SWL	
			-	OWI	NO MEASURABLE PRODUCT
MW-2		0953	7.59	SWL	
			-	OWI	NO MEASURABLE PRODUCT
MW-3		0955	7.45	SWL	
			-	OWI	NO MEASURABLE PRODUCT
MW-4		1000	7.49	SWL	
MW-5		1038	7.44		
MW-6		1009	7.66		
MW-7		1016	7.20		
MW-8		1006	7.55		
MW-9		1014	8.39		
MW-10		1022	7.85		
MW-11		1030	6.58		
MW-12		1045	7.26		
OW-1		1035	7.22		
DMW-1		1033	7.51		
DMW-2		1012	8.05		
DMW-3		1024	7.67		
DMW-4		1042	6.95		
DMW-5	✓	1047	7.70	✓	

CODES: SWL - Static Water Level

OIL - Oil Level

OWI - Oil/Water Interface

MTD - Measured Total Depth

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-5

PROJECT ROHNERT PARK	EVENT SEMI-ANNUAL	SAMPLER ME	DATE <u>Blades</u>		
 Well type <u>Min</u> (MW, EW, PZ, etc.) Diameter <u>14"</u> Intake depth <u>11</u> SWL (if above screen) <u>7</u> SWL (if in screen) <u>7.44</u> Measured TD <u>15</u>		ACTION	TIME	PUMP RATE (gpm)	DTW
		Start Pump / Begin	<u>14:08</u>	<u>0.14</u>	
			<u>14:11</u>		<u>7.50</u>
			<u>14:13</u>		<u>7.52</u>
		Stop	<u>14:19</u>		
		Sampled	<u>14:20</u>		
		Final IWL			<u>7.47</u>
PURGE CALCULATION					
		1A	gal/ft. * <u> </u> ft. = <u> </u> gals. X 3 <u> </u> gals.		
			SWL to TD	one volume	purge volume - 3 casings
			$2^* = 0.165 \text{ gal/ft.}$	$4^* = 0.65 \text{ gal/ft.}$	$6^* = 1.47 \text{ gal/ft.}$

Equipment Used / Sampling Method / Description of Event:

Low flow purge using peristaltic pump

Duplicate collected @ H3O (MW-5)

Additional Comments:

Actual gallons purged 1.5

Actual volumes purged -

Well Yield \oplus -

COC #		
Sample I.D.	Analysis	Lab
<u>MW-5</u>	<u>8260B</u>	<u>ENTECH</u>
<u>MW-13</u>	<u>4</u>	<u>J</u>

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.25	21.1	621	7.45	1.910	
0.5	21.1	632	7.40	0.75	
0.75	21.2	620	7.43	0.66	
1.25	21.2	600	7.42	0.76	

*Take measurement at approximately each casing volume purged.
HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-6

PROJECT ROHNERT PARK		EVENT	SEMI-ANNUAL	SAMPLER	ME	DATE	<u>8/17/05</u>																					
		Well type	<u>MW</u>	ACTION	TIME	PUMP RATE (gpm)	DTW																					
		(MW, EW, PZ, etc.)		Start Pump / Begin	<u>1340</u>	<u>0.12</u>																						
		Diameter	<u>4"</u>		<u>1334</u>		<u>7.45</u>																					
Intake depth	<u>11</u>																											
SWL (if above screen)		<u>11/4</u>	gal/ft. casing		<u>1339</u>		<u>7.23</u>																					
SWL 7.44 (if in screen)		<u>7</u>	=TOP																									
Measured TD		<u>15</u>	=BOP																									
		<u>14</u>	=TD (as built)																									
PURGE CALCULATION																												
gal/ft. * ft. = gals. X 3 gals.																												
SWL to TD one volume purge volume - 3 casings																												
$2'' = 0.165 \text{ gal/ft.}$ $4'' = 0.65 \text{ gal/ft.}$ $6'' = 1.47 \text{ gal/ft.}$																												
<p>Equipment Used / Sampling Method / Description of Event: <i>low flow purge using peristaltic pump</i> <i>(RB-01) Rinsed blank collected @ 255</i></p>						<p>Actual gallons purged <u>1.5</u></p> <p>Actual volumes purged <u>-</u></p> <p>Well Yield \oplus <u>-</u></p> <p>COC # <u>-</u></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> <tr> <td><u>MW-6</u></td> <td><u>8260B</u></td> <td><u>ENTECH</u></td> </tr> <tr> <td><u>RB-01</u></td> <td><u>↓</u></td> <td><u>↓</u></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table>		Sample I.D.	Analysis	Lab	<u>MW-6</u>	<u>8260B</u>	<u>ENTECH</u>	<u>RB-01</u>	<u>↓</u>	<u>↓</u>												
Sample I.D.	Analysis	Lab																										
<u>MW-6</u>	<u>8260B</u>	<u>ENTECH</u>																										
<u>RB-01</u>	<u>↓</u>	<u>↓</u>																										
Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other																							
0.75	21.1	1172	6.98	1.67																								
1.00	21.2	1189	7.01	1.70																								
1.25	21.2	1201	7.02	1.23																								
1.50	21.1	1200	7.01	1.45																								

*Take measurement at approximately each casing volume purged. \oplus

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE

WELL OR LOCATION *MW-7*

PROJECT ROHNERT PARK		EVENT	SEMI-ANNUAL	SAMPLER	ME	DATE	8/17/05
		Well type	MW (MW, EW, PZ, etc.)	ACTION	TIME	PUMP RATE (gpm)	DTW
		Diameter	4"	Start Pump / Begin	1300	0.08	
Intake depth	i3				1306		7.30
SWL	7.10				1309		7.37
(if above screen)					1312		7.32
SWL				Stop	1313		
(if in screen)				Sampled	1320		
Measured				Final IWL			7.20
TD							
<u>PURGE CALCULATION</u>							
				1A	gal/ft. * ft. =	gals. X 3	gals.
					SWL to TD	one volume	purge volume - 3 casings.
					$2' = 0.165 \text{ gal/ft.}$	$4' = 0.65 \text{ gal/ft.}$	$6' = 1.47 \text{ gal/ft.}$
Equipment Used / Sampling Method / Description of Event:							
Low flow pump purge used top to bottom Low flow purge using peristaltic pump							
Additional Comments:							
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other		
0.25	19.7	762	6.75	10.19			
0.5	19.6	755	6.77	9.25			
0.75	19.7	742	6.78	8.19			
1.25	19.7	745	6.77	7.15			

- Take measurement at approximately each casing volume purged.

HY-Minimal W.L. drop

**Drop - able to purge 3 volumes during a
reducing pump rate or cycling pump**

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge -
unable to pump 3 volumes

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-8

PROJECT ROHNERT PARK	EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>8/17/05</u>			
 Intake depth <u>12</u> SWL <u>7.55</u> (if above screen) SWL <u>(if in screen)</u> Measured <u>TD</u> TD <u>14</u> =TD (as built)	Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME	PUMP RATE (gpm)	DTW	
	Diameter <u>4"</u>	Start Pump / Begin	<u>1050</u>	<u>0.1</u>		
			<u>1053</u>		<u>7.65</u>	
			<u>1056</u>		<u>7.67</u>	
		Stop	<u>1105</u>			
		Sampled	<u>1105</u>			
		Final IWL	<u>1107</u>		<u>7.55</u>	
		PURGE CALCULATION				
		<u>14</u> gal/ft. *	<u>—</u> ft. = <u>—</u> gals. X 3	<u>—</u>	<u>—</u> gals.	
		<u>2" = 0.165 gal/ft.</u>	<u>4" = 0.65 gal/ft.</u>	<u>6" = 1.47 gal/ft.</u>		

Equipment Used / Sampling Method / Description of Event:

Low flow using peristaltic pump

collect trip blank @ 1100

Actual gallons purged 1.5

Actual volumes purged -

Well Yield \oplus -

COC # -

Sample I.D.	Analysis	Lab
-------------	----------	-----

MW-8 8260B ENTECH

Additional Comments:

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.5	20.1	800	6.88	26.7	
0.75	20.2	910	6.87	27.2	
1.0	20.2	940	6.87	13.15	
1.25	20.3	920	6.86	14.26	

*Take measurement at \oplus
approximately each casing volume purged.


HY - Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION Mw-9

PROJECT ROHNERT PARK	EVENT SEMI-ANNUAL	SAMPLER ME	DATE <u>8/17/05</u>
Well type <u>Mw</u> (MW, EW, PZ, etc.) Intake depth <u>13</u>  SWL (if above screen) SWL (if in screen) Measured TD		ACTION Start Pump / Begin TIME <u>11:15</u> <u>11:19</u> <u>11:22</u> Stop Sampled Final IWL	PUMP RATE (gpm) <u>0.15</u> <u>8.45</u> <u>8.51</u> <u>8.39</u> PURGE CALCULATION NA gal/ft. * <u>—</u> ft. = <u>—</u> gals. X 3 <u>—</u> gals. SWL to TD one volume purge volume - 3 casings $2^* = 0.165 \text{ gal/ft.}$ $4^* = 0.65 \text{ gal/ft.}$ $6^* = 1.47 \text{ gal/ft.}$

Equipment Used / Sampling Method / Description of Event:

Low Flow purge using PERISTALTIC pump

Actual gallons purged	<u>2.0</u>	
Actual volumes purged	<u>—</u>	
Well Yield \oplus	<u>—</u>	
COC #		
Sample I.D.	Analysis	Lab
<u>Mw-9</u>	8260B	ENTECH

Additional Comments:

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.6	20.1	874	7.21	16.75	
0.75	20.2	860	7.22	8.23	
1.25	20.2	866	7.23	3.25	
1.50	20.1	879	7.22	0.17	

*Take measurement at \oplus
approximately each casing

HY-Minimal W.L. drop

MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-10

PROJECT ROHNERT PARK		EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>8/17/05</u>																														
		Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME																														
		Diameter <u>2"</u>	Start Pump / Begin	<u>1143</u>																														
		Intake depth <u>13</u>		<u>0.1</u>																														
		SWL <u>7.85</u> (if above screen)		<u>7.92</u>																														
		SWL <u>7.85</u> (if in screen)		<u>7.95</u>																														
		Measured TD		<u>7.96</u>																														
		TD (as built)		<u>7.85</u>																														
		Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME																														
		Diameter <u>2"</u>	Start Pump / Begin	<u>1143</u>																														
		Intake depth <u>13</u>		<u>0.1</u>																														
		SWL <u>7.85</u> (if above screen)		<u>7.92</u>																														
		SWL <u>7.85</u> (if in screen)		<u>7.95</u>																														
		Measured TD		<u>7.96</u>																														
		TD (as built)		<u>7.85</u>																														
PURGE CALCULATION																																		
		NA gal/ft. * <u>—</u> ft. = <u>—</u> gals. X 3 <u>—</u> gals.	SWL to TD	one volume																														
		<u>2" = 0.165 gal/ft.</u>	<u>4" = 0.65 gal/ft.</u>	<u>6" = 1.47 gal/ft.</u>																														
Equipment Used / Sampling Method / Description of Event: <i>low flow pulse using peristaltic pump</i>																																		
Actual gallons purged <u>1.5</u> Actual volumes purged <u>—</u> Well Yield \oplus <u>—</u> COC # <u>NA</u> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> <tr> <td><u>MW-10</u></td> <td><u>8260B</u></td> <td><u>ENTECH</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>					Sample I.D.	Analysis	Lab	<u>MW-10</u>	<u>8260B</u>	<u>ENTECH</u>																								
Sample I.D.	Analysis	Lab																																
<u>MW-10</u>	<u>8260B</u>	<u>ENTECH</u>																																
Additional Comments:																																		
Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)																														
0.25	20.1	960	7.10	26.2																														
0.50	20.2	932	7.20	30.2																														
0.75	20.3	930	7.11	16.1																														
1.25	20.1	932	7.15	12.25																														

*Take measurement at \oplus
approximately each casing
volume purged.

HY - Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MW-11

PROJECT <u>ROHNERT PARK</u>	EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>8/17/05</u>		
Intake depth <u>11</u>	Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME		
SWL <u>(if above screen)</u>	Diameter <u>2"</u>	Start Pump / Begin	<u>12:10</u>		
SWL <u>(if in screen)</u>	<u>NA</u> gal/ft. casing	Stop	<u>12:15</u>		
Measured TD	<u>13</u> =TD (as built)	Sampled	<u>12:15</u>		
	<u>13</u> =BOP	Final IWL	<u>12:15</u>		
	<u>8</u> =TOP	PURGE CALCULATION			
		gal/ft. *	ft. =	gals. X 3	gals.
		<u>2" = 0.165 gal/ft.</u>	<u>SWL to TD</u>	<u>one volume</u>	<u>purge volume - 3 casings</u>

Equipment Used / Sampling Method / Description of Event:

Low flow purge using peristaltic pump

Actual gallons purged	<u>15</u>
Actual volumes purged	-
Well Yield \oplus	-
COC #	
Sample I.D.	Analysis

<u>MW-11</u>	8260B	ENTECH

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other
0.25	21.1	862	6.98	4.15	
0.5	21.4	873	6.99	0.16	
0.75	21.2	866	6.99	0.27	
1.25	21.3	867	7.01	0.17	

*Take measurement at approximately each casing volume purged. \oplus

HY - Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION MV-12

PROJECT ROHNERT PARK		EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>8/11/05</u>																								
		Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME																								
		Diameter <u>2"</u>	Start Pump / Begin	<u>12:35</u>																								
				<u>0.08</u>																								
				<u>7.32</u>																								
				<u>7.35</u>																								
				<u>7.42</u>																								
				<u>7.45</u>																								
			Stop	<u>12:50</u>																								
			Sampled	<u>12:50</u>																								
			Final IWL	<u>7.30</u>																								
 Intake depth <u>11'</u> SWL (if above screen) <u>7.35'</u> SWL (if in screen) <u>7.30'</u> Measured TD <u>7.30'</u>		<u>NA</u> gal/ft. casing <u>NA</u> =TOP <u>8</u> =BOP <u>13</u> =BOP <u>13</u> =TD (as built)	PURGE CALCULATION																									
			gal/ft. * <u> </u> ft. = <u> </u> gals. X 3 <u> </u> gals.	SWL to TD one volume purge volume - 3 casings																								
		<u>2" = 0.165 gal/ft.</u>	<u>4" = 0.65 gal/ft.</u>	<u>6" = 1.47 gal/ft.</u>																								
Equipment Used / Sampling Method / Description of Event: <i>- Low flow using peristaltic pump</i>		Actual gallons purged <u>1.0</u> Actual volumes purged <u> </u> Well Yield \oplus <u> </u> COC # <u> </u> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> <tr> <td><u>MW-12</u></td> <td><u>8260B</u></td> <td><u>ENTECH</u></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>			Sample I.D.	Analysis	Lab	<u>MW-12</u>	<u>8260B</u>	<u>ENTECH</u>																		
Sample I.D.	Analysis	Lab																										
<u>MW-12</u>	<u>8260B</u>	<u>ENTECH</u>																										
Additional Comments:																												
Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)																								
0.25	21.4	632	7.18	3.17																								
0.5	21.1	630	7.25	2.14																								
0.75	21.1	620	7.23	1.25																								
1.00	21.2	625	7.23	0.17																								

*Take measurement at \oplus
approximately each casing volume purged.

HY - Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION DWU-1

PROJECT <u>SK RODGERT PARK</u>	EVENT <u>semi-annual</u>	SAMPLER <u>ME</u>	DATE <u>8/17/05</u>									
Intake depth <u>25</u>	Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME									
SWL <u>7.51</u> (if above screen)	Diameter <u>2"</u>	Start Pump / Begin	<u>1710</u> 0.1									
SWL <u>7.51</u> (if in screen)	=TOP		<u>1719</u>									
Measured TD	=BOP		<u>1720</u>									
	=TD (as built) <u>28</u>		<u>1722</u>									
		Stop	<u>1725</u>									
		Sampled	<u>1730</u>									
		Final IWL	<u>1735</u>									
PURGE CALCULATION												
		gal/ft. * <u>—</u> ft. = <u>—</u> SWL to TD	gals. X 3 <u>—</u> one volume									
		<u>2" = 0.165 gal/ft.</u>	<u>6" = 1.47 gal/ft.</u>									
Equipment Used / Sampling Method / Description of Event:												
<p>-2" SUB PUMP USED FOR LOW FLOW TECHNIQUE</p> <p>RINSE BLANK (RB-02) COLLECTED @ 1740</p>												
<p>Actual gallons purged <u>1.5</u></p> <p>Actual volumes purged <u>—</u></p> <p>Well Yield \oplus <u>—</u></p> <p>COC # <u>—</u></p> <table border="1"> <tr> <th>Sample I.D.</th> <th>Analysis</th> <th>Lab</th> </tr> <tr> <td>DWU-1</td> <td>8260B</td> <td>ENTECH</td> </tr> <tr> <td>RB-02</td> <td>↓</td> <td>↓</td> </tr> </table>				Sample I.D.	Analysis	Lab	DWU-1	8260B	ENTECH	RB-02	↓	↓
Sample I.D.	Analysis	Lab										
DWU-1	8260B	ENTECH										
RB-02	↓	↓										

Additional Comments:

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.25	21.1	720	7.32	02.1	
0.5	22.1	743	7.35	62.1	
0.75	22.0	750	7.36	55.2	
1.25	23.1	766	7.35	25.1	

*Take measurement at approximately each casing volume purged.

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION DW-2

PROJECT <u>ROHNERT PARK</u>	EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>3/12/05</u>
Well type <u>MW</u> (MW, EW, PZ, etc.)		ACTION	TIME
Intake depth <u>25</u>	Diameter <u>2"</u>	Start Pump / Begin	<u>1440</u>
SWL <u>8.05</u> (if above screen)	<u>NA</u> gal/ft. casing		<u>1443</u>
SWL <u>8.05</u> (if in screen)	=TOP		<u>1449</u>
Measured TD	=BOP	Stop	<u>1454</u>
	=TD (as built)	Sampled	<u>1455</u>
		Final IWL	<u>1455 1505</u>
<u>PURGE CALCULATION</u>			
		gal/ft. * <u>1.10</u> ft. =	<u>1</u> gals. X 3
		<u>SWL to TD</u>	<u>one volume</u>
		<u>2"</u> = <u>0.165</u> gal/ft.	<u>4"</u> = <u>0.65</u> gal/ft.
		<u>6"</u> = <u>1.47</u> gal/ft.	

Equipment Used / Sampling Method / Description of Event:

• 2" SUB pump used for low flow purge

Actual gallons purged	<u>1.4</u>
Actual volumes purged	<u>-</u>
Well Yield \oplus	<u>-</u>
COC #	<u>NA</u>
Sample I.D.	<u>Analysis</u>
<u>DW-2</u>	<u>Lab</u>
8260B	ENTECH

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.4	21.1	676	7.15	7.0	
0.7	21.14	670	7.24	8.2	
1.0	21.34	664	7.32	6.6	
1.2	21.14	674	7.28	5.0	
1.3	21.15	692	7.19	7.5	

*Take measurement at approximately each casing \oplus

HY-Minimal W.L. drop

MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMLW-3

PROJECT	<u>SK R HENERT PARK</u>	EVENT	<u>Sur - Ann</u>	SAMPLER	<u>ME</u>	DATE	<u>8/17/05</u>
Intake depth	<u>26</u>	Well type	<u>MW</u>	ACTION	TIME	PUMP RATE	
(MW, EW, PZ, etc.)		Diameter	<u>2"</u>	Start Pump / Begin	<u>1745</u>	(gpm)	<u>0.1</u>
SWL 7.67 (if above screen)					<u>1749</u>		<u>7.08</u>
SWL (if in screen)					<u>1752</u>		<u>7.72</u>
measured TD					<u>1756</u>		<u>7.79</u>
				Stop	<u>1801</u>		
				Sampled	<u>1805</u>		
				Final IWL			<u>7.82</u>
PURGE CALCULATION							
				<u>NA</u> gal/ft. *	<u>—</u> ft. =	<u>—</u> gals. X 3	<u>—</u> gals.
				<u>2" = 0.165 gal/ft.</u>	<u>4" = 0.65 gal/ft.</u>	<u>6" = 1.47 gal/ft.</u>	

Equipment Used / Sampling Method / Description of Event:

- 2" SUB pump USED
FOR LOW FLOW TECHNIQUE

Actual gallons purged	<u>1.5</u>
Actual volumes purged	<u>—</u>
Well Yield \oplus	<u>—</u>
COC #	<u>—</u>
Sample I.D.	<u>DMLW-3</u>
Analysis	<u>8260B</u>
Lab	<u>ENTECH</u>

Additional Comments:

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
0.25	21.1	342	7.66	66.10	
0.5	21.2	361	7.61	63.20	
0.75	21.2	366	7.64	45.10	
1.25	21.3	372	7.65	30.2	

*Take measurement at approximately each casing volume purged. \oplus

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning later or next day. VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION DW-4

PROJECT <u>ROHNERT PARK</u>	EVENT <u>SEMI-ANNUAL</u>	SAMPLER <u>ME</u>	DATE <u>8/17/05</u>
Intake depth <u>22</u>	Well type <u>MW</u> (MW, EW, PZ, etc.)	ACTION	TIME
SWL <u>6.95</u> (if above screen)	Diameter <u>2"</u>	Start Pump / Begin	<u>1645</u>
SWL <u>6.95</u> (if in screen)	<u>MA</u> gal/ft. casing =TOP		<u>1649</u>
Measured TD <u>26</u>	<u>24</u> =BOP <u>24</u> =TD (as built)		<u>1653</u>
		Stop	<u>1658</u>
		Sampled	1700
		Final IWL	<u>7.00</u>
PURGE CALCULATION			
gal/ft. * <u> </u> ft. = <u> </u> gals. X 3 <u> </u> gals.			
SWL to TD one volume purge volume - 3 casings			
<u>2" = 0.165 gal/ft.</u> <u>4" = 0.65 gal/ft.</u> <u>6" = 1.47 gal/ft.</u>			

Equipment Used / Sampling Method / Description of Event:

2" sub pump used for low flow purging

Actual gallons purged 1.5
Actual volumes purged
Well Yield \oplus

COC # <u>MA</u>	Sample I.D. <u>DW-4</u>	Analysis <u>8260B</u>	Lab <u>ENTECH</u>

Gallons Purged *	Temp °C	EC (us/cm)	pH	Turbidity (NTU)	Other
1. 0.25	<u>14.1</u>	<u>715</u>	<u>7.40</u>	<u>10.15</u>	
2. 0.50	<u>14.2</u>	<u>725</u>	<u>7.41</u>	<u>11.26</u>	
3. 0.75	<u>14.2</u>	<u>760</u>	<u>7.41</u>	<u>11.05</u>	
4. 1.25	<u>14.2</u>	<u>715</u>	<u>7.40</u>	<u>10.45</u>	
5.					

*Take measurement at \oplus
approximately each casing volume purged.

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting by reducing pump rate or cycling pump

LY - Able to purge 3 volumes by returning later or next day.

VLY - Minimal recharge - unable to purge 3 volumes.

CAMERON-COLE
SAMPLING EVENT DATA SHEET

WELL OR LOCATION DMW-5

PROJECT	<u>SK RIVERVIEW PARK</u>	EVENT	<u>SPIN-AWWA (SAMPLER ME)</u>	DATE	<u>8/17/05</u>		
Intake depth	25	Well type	MW	ACTION	TIME	PUMP RATE (gpm)	DTW
(MW, EW, PZ, etc.)		Diameter	2"	Start Pump / Begin	1556	0.12	
SWL (if above screen)	7.70	NA	gal/ft. casing		1559		7.79
SWL (if in screen)	27	=TOP			1607		8.09
measured TD	27	=BOP		Stop	1619		
	27	=TD (as built)		Sampled	1620		
				Final fWL	1625		7.81
PURGE CALCULATION							
				gal/ft. *	ft. =	gals. X 3	gals.
				SWL to TD	one volume	purge volume - 3 casings	
				2" = 0.165 gal/ft.	4" = 0.65 gal/ft.	6" = 1.47 gal/ft.	

Equipment Used / Sampling Method / Description of Event:

-2" SUB pump USED FOR
LOW FLOW TECHNIQUE

Actual gallons purged	<u>1.5</u>
Actual volumes purged	<u>-</u>
Well Yield \oplus	<u>-</u>
COC #	<u>-</u>
Sample I.D.	<u>DMW-5</u>
Analysis	<u>8260B</u>
Lab	<u>ENRCH</u>

Additional Comments:

Gallons Purged *	Temp °C	EC (us / cm)	pH	Turbidity (NTU)	Other
0.5	19.1	672	7.79	125	
0.75	19.2	667	7.81	82	
1.25	19.2	689	7.82	22	
1.5	19.2	677	7.84	19	

*Take measurement at \oplus
approximately each casing
volume purged.

HY-Minimal W.L. drop MY - WL drop - able to purge 3 volumes during one sitting
by reducing pump rate or cycling pump LY - Able to purge 3 volumes by returning
later or next day. VLY - Minimal recharge -
unable to purge 3 volumes.

APPENDIX B

**LABORATORY ANALYTICAL DATA SHEETS
AND CHAIN-OF-CUSTODY RECORDS -**

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Chris Walsh
Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501

Certificate ID: 44936 - 8/29/2005 11:57:45 AM

Order Number: 44936

Date Received: 08/19/2005

Project Name: SK(Rohnert Park)

Project Number: 2210

Certificate of Analysis - Final Report

On August 19, 2005, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	EPA 8260B EPA 624	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-001	Sample ID:	Trip Blank	Matrix:	Liquid	Sample Date:	8/17/2005	11:00 AM	
EPA 8260B		EPA 624						EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

8/29/2005 11:57:29 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-001	Sample ID: Trip Blank	Matrix: Liquid	Sample Date: 8/17/2005	11:00 AM
-------------------	-----------------------	----------------	------------------------	----------

EPA 8260B	EPA 624	Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B
											QC Batch
Diisopropyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Freon 113		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropanol		ND		1		20	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene		ND		1		1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether		ND		1		1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Naphthalene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Styrene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)		ND		1		10	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Toluene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.0	70 - 125
Dibromofluoromethane	111	70 - 125
Toluene-d8	110	70 - 125

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-002	Sample ID:	MW-8	Matrix:	Liquid	Sample Date:	8/17/2005	11:05 AM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

8/29/2005 11:57:29 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-002	Sample ID:	MW-8	Matrix:	Liquid	Sample Date:	8/17/2005	11:05 AM			
EPA 8260B EPA 624		Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B QC Batch
Diisopropyl Ether	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Freon 113	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Isopropanol	ND		ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene	ND		ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether	ND		ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Naphthalene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Styrene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)	ND		ND	1	10	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene	ND		ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Toluene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Trichloroethene	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total	ND		ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: MTu
4-Bromofluorobenzene	97.5	70 - 125	Reviewed by: ECunniffe
Dibromofluoromethane	113	70 - 125	
Toluene-d8	109	70 - 125	

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

8/29/2005 11:57:29 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-003	Sample ID:	MW-9	Matrix:	Liquid	Sample Date:	8/17/2005	11:30 AM	
EPA 8260B		EPA 624						EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:29 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-003	Sample ID:	MW-9	Matrix:	Liquid	Sample Date:	8/17/2005	11:30 AM
EPA 8260B EPA 624								EPA 8260B QC Batch
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date
Diisopropyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Ethyl Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Freon 113	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Hexachlorobutadiene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Isopropanol	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Isopropylbenzene	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Methyl-t-butyl Ether	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Methylene Chloride	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
n-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
n-Propylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Naphthalene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
p-Isopropyltoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
sec-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Styrene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
tert-Amyl Methyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
tert-Butanol (TBA)	ND	1	10	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
tert-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Tetrachloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Toluene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
trans-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
trans-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Trichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Trichlorofluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Vinyl Chloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826
Xylenes, Total	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005 WM1050826

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: MTu
4-Bromofluorobenzene	95.4	70 - 125	Reviewed by: ECunniffe
Dibromofluoromethane	112	70 - 125	
Toluene-d8	110	70 - 125	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-004	Sample ID: MW-10		Matrix: Liquid	Sample Date: 8/17/2005	12:00 PM				
EPA 8260B EPA 624					EPA 8260B				
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Acetone	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-004	Sample ID:	MW-10	Matrix:	Liquid	Sample Date:	8/17/2005	12:00 PM	
EPA 8260B EPA 624				EPA 8260B QC Batch					
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	
Diisopropyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Freon 113	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Isopropanol	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Naphthalene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Styrene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)	ND	1	10	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Toluene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Trichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Surrogate	Surrogate Recovery	Control Limits (%)				Analyzed by: MTu Reviewed by: ECunniffe			
4-Bromofluorobenzene	96.8	70	-	125					
Dibromofluoromethane	113	70	-	125					
Toluene-d8	109	70	-	125					

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-005	Sample ID:	MW-11	Matrix:	Liquid	Sample Date:	8/17/2005	12:25 PM	
EPA 8260B	EPA 624							EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Acetone	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005

Project ID: 2210

Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-005	Sample ID:	MW-11	Matrix:	Liquid	Sample Date:	8/17/2005	12:25 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND	1	20	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND	1	1.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	ND	1	1.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND	1	10	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: MTu
4-Bromofluorobenzene	96.8	70 - 125	Reviewed by: ECunniffe
Dibromofluoromethane	117	70 - 125	
Toluene-d8	111	70 - 125	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-006	Sample ID:	MW-12	Matrix:	Liquid	Sample Date:	8/17/2005	12:50 PM
EPA 8260B EPA 624								EPA 8260B QC Batch
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date
1,1,1,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1,1-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1,2,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1,2-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,1-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,2,3-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
1,2,3-Trichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,2,4-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
1,2,4-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
1,2-Dibromo-3-Chloropropane	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
1,2-Dibromoethane (EDB)	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,2-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,2-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,3,5-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
1,3-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,3-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
1,4-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
2,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
2-Butanone (MEK)	ND	1	1	20	µg/L	N/A	N/A	8/27/2005
2-Chloroethyl-vinyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
2-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
2-Hexanone	ND	1	1	20	µg/L	N/A	N/A	8/27/2005
4-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005
4-Methyl-2-Pentanone(MIBK)	ND	1	1	20	µg/L	N/A	N/A	8/27/2005
Acetone	ND	1	1	20	µg/L	N/A	N/A	8/27/2005
Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Bromobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Bromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Bromodichloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Bromoform	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Bromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Carbon Disulfide	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Carbon Tetrachloride	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Chlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Chloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Chloroform	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Chloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
cis-1,2-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
cis-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Dibromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Dibromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005
Dichlorodifluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005

Project ID: 2210

Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-006	Sample ID:	MW-12	Matrix:	Liquid	Sample Date:	8/17/2005	12:50 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND	1	1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	5.0	1	1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND	1	1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	35	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	1.0	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	98.2	70 - 125
Dibromofluoromethane	118	70 - 125
Toluene-d8	111	70 - 125

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-007	Sample ID:	MW-7	Matrix:	Liquid	Sample Date:	8/17/2005	1:20 PM		
EPA 8260B	EPA 624							EPA 8260B		
Parameter		Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,1-Trichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2,2-Tetrachloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2-Trichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichlorobenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trichlorobenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trimethylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromo-3-Chloropropane		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromoethane (EDB)		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3,5-Trimethylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,4-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2,2-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Butanone (MEK)		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chloroethyl-vinyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chlorotoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Hexanone		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Chlorotoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Methyl-2-Pentanone(MIBK)		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Acetone		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Benzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromochloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromodichloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromoform		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromomethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Disulfide		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Tetrachloride		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroform		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,2-Dichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,3-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromochloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromomethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dichlorodifluoromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005

Project ID: 2210

Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-007	Sample ID:	MW-7	Matrix:	Liquid	Sample Date:	8/17/2005	1:20 PM			
EPA 8260B EPA 624		Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B QC Batch
Diisopropyl Ether	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND		1		20	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND		1		1.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	1.4		1		1.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND		1		10	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND		1		5.0	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	7.0		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	1.5		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND		1		0.50	µg/L	N/A	N/A	N/A	8/27/2005	WM1050826B
Surrogate	Surrogate Recovery		Control Limits (%)								
4-Bromofluorobenzene	96.6		70 - 125								
Dibromofluoromethane	118		70 - 125								
Toluene-d8	113		70 - 125								

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005

Project ID: 2210

Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44936-008	Sample ID:	MW-6	Matrix:	Liquid	Sample Date:	8/17/2005	1:45 PM
EPA 8260B EPA 624		EPA 8260B QC Batch						
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1,1-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1,2-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,1-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
1,2,3-Trichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,2-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,2-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
1,3-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,3-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
1,4-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
2,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
2-Butanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	8/27/2005
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
2-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
2-Hexanone	ND	1	20	µg/L	N/A	N/A	N/A	8/27/2005
4-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/27/2005
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	8/27/2005
Acetone	ND	1	20	µg/L	N/A	N/A	N/A	8/27/2005
Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Bromobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Bromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Bromodichloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Bromoform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Bromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Carbon Disulfide	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Carbon Tetrachloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Chlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Chloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Chloroform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Chloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
cis-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
cis-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Dibromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Dibromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005
Dichlorodifluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/27/2005

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-008	Sample ID:	MW-6	Matrix:	Liquid	Sample Date:	8/17/2005	1:45 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND	1	1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	1.3	1	1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND	1	1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.1	70 - 125
Dibromofluoromethane	120	70 - 125
Toluene-d8	112	70 - 125

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-009	Sample ID:	MW-5	Matrix:	Liquid	Sample Date:	8/17/2005	2:20 PM	EPA 8260B	QC Batch
									EPA 8260B	
									QC Batch	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date		
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Acetone	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,2-Dichloroethene	69		5	2.5	µg/L	N/A	N/A	8/28/05	WM1050826B	
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:30 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005

Project ID: 2210

Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #: 44936-009 Sample ID: MW-5		Matrix: Liquid			Sample Date: 8/17/2005		2:20 PM			
EPA 8260B EPA 624								EPA 8260B		
Parameter		Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Freon 113		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropanol		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene		ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether		7.3		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Naphthalene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Styrene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)		ND		1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene		120		5	2.5	µg/L	N/A	N/A	8/28/05	WM1050826B
Toluene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene		2.1		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene		9.0		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	96.0	70 - 125
Dibromofluoromethane	119	70 - 125
Toluene-d8	111	70 - 125

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-010 Sample ID: DMW-2		Matrix: Liquid			Sample Date: 8/17/2005	2:55 PM						
EPA 8260B	EPA 624	Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B	QC Batch
1,1,1,2-Tetrachloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,1-Trichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2,2-Tetrachloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2-Trichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichlorobenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trichlorobenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trimethylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromo-3-Chloropropane		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromoethane (EDB)		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3,5-Trimethylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,4-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2,2-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Butanone (MEK)		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chloroethyl-vinyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chlorotoluene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Hexanone		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Chlorotoluene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Methyl-2-Pentanone(MIBK)		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Acetone		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Benzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromochloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromodichloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromoform		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromomethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Disulfide		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Tetrachloride		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroform		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,2-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,3-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromochloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromomethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dichlorodifluoromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-010 Sample ID: DMW-2		Matrix: Liquid			Sample Date: 8/17/2005		2:55 PM				
EPA 8260B	EPA 624	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B	QC Batch
Diisopropyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Ethyl Benzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Freon 113		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Hexachlorobutadiene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Isopropanol		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Isopropylbenzene		ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Methyl-t-butyl Ether		ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Methylene Chloride		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
n-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
n-Propylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Naphthalene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
p-Isopropyltoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
sec-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Styrene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Amyl Methyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butanol (TBA)		ND		1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butyl Ethyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Tetrachloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Toluene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
trans-1,2-Dichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
trans-1,3-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Trichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Trichlorofluoromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Vinyl Chloride		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Xylenes, Total		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Surrogate	Surrogate Recovery	Control Limits (%)									Analyzed by: MTu
4-Bromofluorobenzene	91.9	70	-	125							Reviewed by: ECunniffe
Dibromofluoromethane	121	70	-	125							
Toluene-d8	110	70	-	125							

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-011 Sample ID: DMW-5		Matrix: Liquid			Sample Date: 8/17/2005	4:20 PM					
EPA 8260B	EPA 624	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B	QC Batch
1,1,1,2-Tetrachloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,1-Trichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2,2-Tetrachloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2-Trichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichlorobenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trichlorobenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trimethylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromo-3-Chloropropane		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromoethane (EDB)		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3,5-Trimethylbenzene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,4-Dichlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2,2-Dichloropropane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Butanone (MEK)		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chloroethyl-vinyl Ether		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chlorotoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Hexanone		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Chlorotoluene		ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Methyl-2-Pentanone(MIBK)		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Acetone		ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Benzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromochloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromodichloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromoform		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromomethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Disulfide		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Tetrachloride		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chlorobenzene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroform		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,2-Dichloroethene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,3-Dichloropropene		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromochloromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromomethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dichlorodifluoromethane		ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #: 44936-011 Sample ID: DMW-5

Matrix: Liquid Sample Date: 8/17/2005 4:20 PM

EPA 8260B EPA 624		Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B
Parameter										QC Batch
Diisopropyl Ether	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND			1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND			1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	ND			1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND			1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND			1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND			1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Surrogate	Surrogate Recovery	Control Limits (%)
4-Bromofluorobenzene	95.0	70 - 125
Dibromofluoromethane	120	70 - 125
Toluene-d8	110	70 - 125

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-012 Sample ID: DMW-4		Matrix: Liquid			Sample Date: 8/17/2005		5:00 PM					
EPA 8260B	EPA 624	Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B	QC Batch
1,1,1,2-Tetrachloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,1-Trichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2,2-Tetrachloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1,2-Trichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,1-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichlorobenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,3-Trichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trichlorobenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2,4-Trimethylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromo-3-Chloropropane		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dibromoethane (EDB)		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,2-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3,5-Trimethylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,3-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
1,4-Dichlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2,2-Dichloropropane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Butanone (MEK)		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chloroethyl-vinyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Chlorotoluene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
2-Hexanone		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Chlorotoluene		ND		1		5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
4-Methyl-2-Pentanone(MIBK)		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Acetone		ND		1		20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Benzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromochloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromodichloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromoform		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Bromomethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Disulfide		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Carbon Tetrachloride		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chlorobenzene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloroform		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Chloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,2-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
cis-1,3-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromochloromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dibromomethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Dichlorodifluoromethane		ND		1		0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-012 Sample ID: DMW-4		Matrix: Liquid			Sample Date: 8/17/2005		5:00 PM		
EPA 8260B		EPA 624						EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Ethyl Benzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Freon 113	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Hexachlorobutadiene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropanol	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Isopropylbenzene	ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methyl-t-butyl Ether	5.0		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Methylene Chloride	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
n-Propylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Naphthalene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
p-Isopropyltoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
sec-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Styrene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Amyl Methyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butanol (TBA)	ND		1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butyl Ethyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
tert-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
Tetrachloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Toluene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
trans-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Trichlorofluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Vinyl Chloride	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Xylenes, Total	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Surrogate	Surrogate Recovery		Control Limits (%)			Analyzed by: MTu			
4-Bromofluorobenzene	95.1		70	-	125	Reviewed by: ECunniffe			
Dibromofluoromethane	120		70	-	125				
Toluene-d8	111		70	-	125				

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44936-013	Sample ID:	DMW-1	Matrix:	Liquid	Sample Date:	8/17/2005	5:35 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,1-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1,2-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,1-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,3-Trichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2,4-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromo-3-Chloropropane	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dibromoethane (EDB)	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3,5-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,3-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
1,4-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Butanone (MEK)	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chloroethyl-vinyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
2-Hexanone	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B
4-Methyl-2-Pentanone(MIBK)	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Acetone	ND	1	1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B
Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromodichloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromoform	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Bromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Disulfide	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Carbon Tetrachloride	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloroform	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Chloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,2-Dichloroethene	2.1	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
cis-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dibromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B
Dichlorodifluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:57:31 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44936-013 Sample ID: DMW-1		Matrix: Liquid			Sample Date: 8/17/2005		5:35 PM			
EPA 8260B EPA 624									EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch	
Diisopropyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Ethyl Benzene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Freon 113	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Hexachlorobutadiene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Isopropanol	ND		1	20	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Isopropylbenzene	ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Methyl-t-butyl Ether	ND		1	1.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Methylene Chloride	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
n-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
n-Propylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Naphthalene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
p-Isopropyltoluene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
sec-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Styrene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Amyl Methyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butanol (TBA)	ND		1	10	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butyl Ethyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
tert-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Tetrachloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Toluene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
trans-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
trans-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Trichloroethene	6.0		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Trichlorofluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Vinyl Chloride	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Xylenes, Total	ND		1	0.50	µg/L	N/A	N/A	8/27/2005	WM1050826B	
Surrogate	Surrogate Recovery	Control Limits (%)								
4-Bromofluorobenzene	96.4		70	-	125					
Dibromofluoromethane	122		70	-	125					
Toluene-d8	112		70	-	125					

Analyzed by: MTu

Reviewed by: ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826

QC Batch Analysis Date: 8/26/2005

Validated by: ECunniffe - 08/29/05

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

Validated by: ECunniffe - 08/29/05

QC Batch ID: WM1050826

QC Batch Analysis Date: 8/26/2005

Parameter	Result	DF	PQLR	Units
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	5.0	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	97.2	70 - 125
Dibromofluoromethane	111	70 - 125
Toluene-d8	109	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

Laboratory Control Sample / Duplicate - Liquid - EPA 8260B - EPA 8260B

Reviewed by: ECunniffe - 08/29/05

QC Batch ID: WM1050826

QC Batch ID Analysis Date: 8/26/2005

LCS							Recovery Limits
Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery		
1,1-Dichloroethene	<0.50	20	16.3	µg/L	81.5		70 - 130
Benzene	<0.50	20	17.2	µg/L	86.0		70 - 130
Chlorobenzene	<0.50	20	17.0	µg/L	85.0		70 - 130
Methyl-t-butyl Ether	<1.0	20	19.7	µg/L	98.5		70 - 130
Toluene	<0.50	20	17.3	µg/L	86.5		70 - 130
Trichloroethene	<0.50	20	15.8	µg/L	79.0		70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	97.4	70 - 125
Dibromofluoromethane	104	70 - 125
Toluene-d8	102	70 - 125

LCSD								Recovery Limits
Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	14.7	µg/L	73.5	10	25.0	70 - 130
Benzene	<0.50	20	16.4	µg/L	82.0	4.8	25.0	70 - 130
Chlorobenzene	<0.50	20	16.0	µg/L	80.0	6.1	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	18.5	µg/L	92.5	6.3	25.0	70 - 130
Toluene	<0.50	20	15.9	µg/L	79.5	8.4	25.0	70 - 130
Trichloroethene	<0.50	20	14.7	µg/L	73.5	7.2	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	96.8	70 - 125
Dibromofluoromethane	105	70 - 125
Toluene-d8	102	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826B

QC Batch Analysis Date: 8/27/2005

Validated by: ECunniffe - 08/29/05

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	0.50	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	0.50	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

Validated by: ECunniffe - 08/29/05

QC Batch ID: WM1050826B

QC Batch Analysis Date: 8/27/2005

Parameter	Result	DF	PQLR	Units
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	5.0	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	94.4	70 - 125
Dibromofluoromethane	115	70 - 125
Toluene-d8	111	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

Laboratory Control Sample / Duplicate - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826B

Reviewed by: ECunniffe - 08/29/05

QC Batch ID Analysis Date: 8/27/2005

LCS		Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
Parameter			<0.50	20	20.0	µg/L	100	70 - 130
1,1-Dichloroethene			<0.50	20	21.0	µg/L	105	70 - 130
Benzene			<0.50	20	21.1	µg/L	106	70 - 130
Chlorobenzene			<0.50	20	21.5	µg/L	108	70 - 130
Methyl-t-butyl Ether			<1.0	20	20.5	µg/L	102	70 - 130
Toluene			<0.50	20	19.6	µg/L	98.0	70 - 130
Trichloroethene			<0.50	20				
Surrogate		% Recovery	Control Limits					
4-Bromofluorobenzene		91.7	70 - 125					
Dibromofluoromethane		107	70 - 125					
Toluene-d8		101	70 - 125					

LCSD		Method	Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
Parameter			<0.50	20	20.0	µg/L	100	0.0	25.0	70 - 130
1,1-Dichloroethene			<0.50	20	21.1	µg/L	106	0.48	25.0	70 - 130
Benzene			<0.50	20	21.1	µg/L	106	0.0	25.0	70 - 130
Chlorobenzene			<0.50	20	22.2	µg/L	111	3.2	25.0	70 - 130
Methyl-t-butyl Ether			<1.0	20	20.6	µg/L	103	0.49	25.0	70 - 130
Toluene			<0.50	20	19.7	µg/L	98.5	0.51	25.0	70 - 130
Trichloroethene			<0.50	20						
Surrogate		% Recovery	Control Limits							
4-Bromofluorobenzene		91.3	70 - 125							
Dibromofluoromethane		108	70 - 125							
Toluene-d8		101	70 - 125							

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Matrix Spike / Matrix Spike Duplicate - Liquid - EPA 8260B - EPA 8260B

Reviewed by: ECunniffe - 08/29/05

QC Batch ID: WM1050826B

QC Batch ID Analysis Date: 8/27/2005

MS	Sample Spiked: 44936-013						
Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	Recovery Limits
1,1-Dichloroethene	ND	20	18.6	µg/L	8/27/2005	93.0	70 - 130
Benzene	ND	20	19.3	µg/L	8/27/2005	96.5	70 - 130
Chlorobenzene	ND	20	18.6	µg/L	8/27/2005	93.0	70 - 130
Methyl-t-butyl Ether	ND	20	21.4	µg/L	8/27/2005	107	70 - 130
Toluene	ND	20	18.6	µg/L	8/27/2005	93.0	70 - 130
Trichloroethene	6.05	20	22.9	µg/L	8/27/2005	84.2	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	90.8	70 - 125
Dibromofluoromethane	109	70 - 125
Toluene-d8	102	70 - 125

MSD	Sample Spiked: 44936-013								
Parameter	Sample Result	Spike Amount	Spike Result	Units	Analysis Date	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	ND	20	18.1	µg/L	8/27/2005	90.5	2.7	25.0	70 - 130
Benzene	ND	20	18.7	µg/L	8/27/2005	93.5	3.2	25.0	70 - 130
Chlorobenzene	ND	20	17.9	µg/L	8/27/2005	89.5	3.8	25.0	70 - 130
Methyl-t-butyl Ether	ND	20	20.9	µg/L	8/27/2005	104	2.4	25.0	70 - 130
Toluene	ND	20	18.2	µg/L	8/27/2005	91.0	2.2	25.0	70 - 130
Trichloroethene	6.05	20	22.6	µg/L	8/27/2005	82.8	1.3	25.0	70 - 130

Surrogate	% Recovery	Control Limits
4-Bromofluorobenzene	91.3	70 - 125
Dibromofluoromethane	111	70 - 125
Toluene-d8	102	70 - 125

Entech Analytical Labs, Inc. Chain of Custody / Analysis Request

3334 Victor Court
 Santa Clara, CA 95054
 (408) 588-0200
 (408) 588-0201 - Fax

Attention to:	Chris Walsh	Phone No.:	910-769-3561	Purchase Order No.:		Invoice to: (If Different)	Mr. Bryan Conner	Phone:	
Company Name:	Cameron - ConC	Fax No.:	910 - 337-3794	Project No.:	2210	Company:	Safety-Kleen Systems	Quote No.:	
Mailing Address:	101. West Atlantic Ave #290 City: Alameda	Email Address:		Project Name:	SK Roswell Area	Billing Address: (If Different)			
State:	CA	Zip Code:	94501	Project Location:	Rossmoor Park	City:	Lafayette	State:	CA 94521
Sampler:	ME	Field Org. Code:		Turn Around Time					
				<input type="checkbox"/> Same Day	1 Day				
				<input type="checkbox"/> 2 Day	3 Day				
				<input type="checkbox"/> 4 Day	5 Day				
				<input checked="" type="checkbox"/> 10 Day	STANDARD				
Order ID:	44936	Sample		No. of Containers		Matrix			Remarks
Client ID / Field Point	Lab. No.	Date	Time						
1 MW-3 TRIPONIK	-001	8/17/03	1100						
2 MW-2	-002		1105						
3 MW-9	-003		1130						
4 MW-10	-004		1200						
5 MW-11	-005		1225						
6 MW-12	-006		1250						
7 MW-7	-007		1320						
8 MW-6	-008		1345						
9 MW-5	-009		1420						
10 DMW-2	-010		1455						
11 DMW-3	-011		1620						
12 DMW-4	-012		1700						
13 DMW-1	-013		1730						
Received by:	John	Date:	8/19/03	Time:	1145	Special Instructions or Comments	EDD Report		
Received by:	John	Date:	8/19/03	Time:	1217	Printed copy of col 2 and copy of col 4 and send me to resources re other wells 14	EDF Report	Plating	
Received by:	John	Date:	8/19/03	Time:		To M.R. Bryan Conner and send me to resources re other wells 14	LUFT-5		
Received by:	John	Date:	8/19/03	Time:		Metals Cool Temp to 30°C Real (3) Voids found	RCRA-8		
Received by:	John	Date:	8/19/03	Time:		Al, As, Sb, Ba, Be, Bi, Cd, Ce, Ca, Cr, Co, Cs, Cu, Fe, Pb, Mg, Mn, Ti, Zn, V, W, Zr	PPM-13		
Received by:	John	Date:	8/19/03	Time:		Ga, Ge, Hg, In, Li, Mo, Ni, P, K, Si, Ag, Na, S, Se, Sr, Ta, Te, Ti, Sn, V, W, Zr	CAM-17		

Entech Analytical Labs, Inc.

3334 Victor Court • Santa Clara, CA 95054 • (408) 588-0200 • Fax (408) 588-0201

Chris Walsh
Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501

Certificate ID: 44933 - 8/29/2005 11:54:05 AM

Order Number: 44933

Date Received: 08/19/2005

Project Name: SK(Rohnert Park)

Project Number: 2210

Certificate of Analysis - Final Report

On August 19, 2005, samples were received under chain of custody for analysis.

Entech analyzes samples "as received" unless otherwise noted. The following results are included:

<u>Matrix</u>	<u>Test</u>	<u>Comments</u>
Liquid	EPA 8260B EPA 624	

Entech Analytical Labs, Inc. is certified for environmental analyses by the State of California (#2346).
If you have any questions regarding this report, please call us at 408-588-0200 ext. 225.

Sincerely,



Laurie Glantz-Murphy
Laboratory Director

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	Sample ID:	Matrix:	Liquid	Sample Date:	8/17/2005	5:40 PM			
EPA 8260B	EPA 624					EPA 8260B			
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

8/29/2005 11:52:12 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44933-001	Sample ID:	RB-02	Matrix:	Liquid	Sample Date:	8/17/2005	5:40 PM	EPA 8260B	QC Batch
									EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch	
Diisopropyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Ethyl Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Freon 113	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Hexachlorobutadiene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Isopropanol	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Isopropylbenzene	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Methyl-t-butyl Ether	ND	1	1.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Methylene Chloride	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
n-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
n-Propylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Naphthalene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
p-Isopropyltoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
sec-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Styrene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
tert-Amyl Methyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
tert-Butanol (TBA)	ND	1	10	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
tert-Butylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Tetrachloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Toluene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
trans-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
trans-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Trichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Trichlorofluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Vinyl Chloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	
Xylenes, Total	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826	

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: MTu
4-Bromofluorobenzene	96.9	70 - 125	Reviewed by: ECunniffe
Dibromofluoromethane	111	70 - 125	
Toluene-d8	108	70 - 125	

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44933-002	Sample ID:	DMW-3	Matrix:	Liquid	Sample Date:	8/17/2005	6:05 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND	1	5.0	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Acetone	ND	1	20	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Benzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND	1	0.50	µg/L	N/A	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

ND = Not Detected at or above the Detection Limit.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

Qual = Data Qualifier

8/29/2005 11:52:12 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court, Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #:	44933-002	Sample ID:	DMW-3	Matrix:	Liquid	Sample Date:	8/17/2005	6:05 PM			
EPA 8260B EPA 624		Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B QC Batch
Diisopropyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Freon 113		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropanol		ND		1		20	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene		ND		1		1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether		ND		1		1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Naphthalene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Styrene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)		ND		1		10	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene		ND		1		5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Toluene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichloroethene		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total		ND		1		0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Surrogate	Surrogate Recovery	Control Limits (%)	Analyzed by: MTu
4-Bromofluorobenzene	97.4	70 - 125	Reviewed by: ECunniffe
Dibromofluoromethane	114	70 - 125	
Toluene-d8	109	70 - 125	

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:52:12 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # :	44933-003	Sample ID:	MW-13	Matrix:	Liquid	Sample Date:	8/17/2005	2:30 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
1,1,1,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND	1	1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND	1	1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	60	5	5	2.5	µg/L	N/A	N/A	8/28/05	WM1050826
cis-1,3-Dichloropropene	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND	1	1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:52:12 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab #: 44933-003 Sample ID: MW-13				Matrix: Liquid	Sample Date: 8/17/2005	2:30 PM			
EPA 8260B EPA 624						EPA 8260B			
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Freon 113	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropanol	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene	ND		1	1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether	6.9		1	1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Naphthalene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Styrene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)	ND		1	10	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene	93		5	2.5	µg/L	N/A	N/A	8/28/05	WM1050826
Toluene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene	2.2		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichloroethene	9.2		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Surrogate		Surrogate Recovery		Control Limits (%)		Analyzed by: MTu			
4-Bromofluorobenzene		98.3		70 - 125		Reviewed by: ECunniffe			
Dibromofluoromethane		113		70 - 125					
Toluene-d8		109		70 - 125					

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:52:13 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	EPA 8260B QC Batch
1,1,1,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,1-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2,2-Tetrachloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1,2-Trichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,1-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,3-Trichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trichlorobenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2,4-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromo-3-Chloropropane	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dibromoethane (EDB)	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3,5-Trimethylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,3-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
1,4-Dichlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2,2-Dichloropropane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Butanone (MEK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chloroethyl-vinyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
2-Hexanone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Chlorotoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
4-Methyl-2-Pentanone(MIBK)	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Acetone	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromodichloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromoform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Bromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Disulfide	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Carbon Tetrachloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chlorobenzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloroform	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Chloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
cis-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromochloromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dibromomethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Dichlorodifluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:52:13 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Cameron-Cole
101 W. Atlantic Ave, Bldg #90
Alameda, CA 94501
Attn: Chris Walsh

Date Received: 8/19/2005
Project ID: 2210
Project Name: SK(Rohnert Park)

Certificate of Analysis - Data Report

Sample Collected by: Client

Lab # : 44933-004 Sample ID: RB-01				Matrix:	Liquid	Sample Date:	8/17/2005	1:55 PM	
EPA 8260B EPA 624								EPA 8260B	
Parameter	Result	Qual	D/P-F	Detection Limit	Units	Prep Date	Prep Batch	Analysis Date	QC Batch
Diisopropyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Ethyl Benzene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Freon 113	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Hexachlorobutadiene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropanol	ND		1	20	µg/L	N/A	N/A	8/26/2005	WM1050826
Isopropylbenzene	ND		1	1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methyl-t-butyl Ether	ND		1	1.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Methylene Chloride	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
n-Propylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Naphthalene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
p-Isopropyltoluene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
sec-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Styrene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Amyl Methyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butanol (TBA)	ND		1	10	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butyl Ethyl Ether	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
tert-Butylbenzene	ND		1	5.0	µg/L	N/A	N/A	8/26/2005	WM1050826
Tetrachloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Toluene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,2-Dichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
trans-1,3-Dichloropropene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichloroethene	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Trichlorofluoromethane	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Vinyl Chloride	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Xylenes, Total	ND		1	0.50	µg/L	N/A	N/A	8/26/2005	WM1050826
Surrogate	Surrogate Recovery	Control Limits (%)				Analyzed by: MTu			
4-Bromofluorobenzene	98.3		70	-	125	Reviewed by: ECunniffe			
Dibromofluoromethane	112		70	-	125				
Toluene-d8	109		70	-	125				

Detection Limit = Detection Limit for Reporting.

D/P-F = Dilution and/or Prep Factor includes sample volume adjustments.

ND = Not Detected at or above the Detection Limit.

Qual = Data Qualifier

8/29/2005 11:52:13 AM - ECunniffe

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200 Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826

Validated by: ECunniffe - 08/29/05

QC Batch Analysis Date: 8/26/2005

Parameter	Result	DF	PQLR	Units
1,1,1,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,1-Trichloroethane	ND	1	0.50	µg/L
1,1,2,2-Tetrachloroethane	ND	1	0.50	µg/L
1,1,2-Trichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethane	ND	1	0.50	µg/L
1,1-Dichloroethene	ND	1	0.50	µg/L
1,1-Dichloropropene	ND	1	0.50	µg/L
1,2,3-Trichlorobenzene	ND	1	5.0	µg/L
1,2,3-Trichloropropane	ND	1	0.50	µg/L
1,2,4-Trichlorobenzene	ND	1	5.0	µg/L
1,2,4-Trimethylbenzene	ND	1	5.0	µg/L
1,2-Dibromo-3-Chloropropane	ND	1	5.0	µg/L
1,2-Dibromoethane (EDB)	ND	1	0.50	µg/L
1,2-Dichlorobenzene	ND	1	0.50	µg/L
1,2-Dichloroethane	ND	1	0.50	µg/L
1,2-Dichloropropane	ND	1	0.50	µg/L
1,3,5-Trimethylbenzene	ND	1	5.0	µg/L
1,3-Dichlorobenzene	ND	1	0.50	µg/L
1,3-Dichloropropane	ND	1	0.50	µg/L
1,4-Dichlorobenzene	ND	1	0.50	µg/L
2,2-Dichloropropane	ND	1	0.50	µg/L
2-Butanone (MEK)	ND	1	20	µg/L
2-Chloroethyl-vinyl Ether	ND	1	5.0	µg/L
2-Chlorotoluene	ND	1	5.0	µg/L
2-Hexanone	ND	1	20	µg/L
4-Chlorotoluene	ND	1	5.0	µg/L
4-Methyl-2-Pentanone(MIBK)	ND	1	20	µg/L
Acetone	ND	1	20	µg/L
Benzene	ND	1	0.50	µg/L
Bromobenzene	ND	1	0.50	µg/L
Bromochloromethane	ND	1	0.50	µg/L
Bromodichloromethane	ND	1	0.50	µg/L
Bromoform	ND	1	0.50	µg/L
Bromomethane	ND	1	0.50	µg/L
Carbon Disulfide	ND	1	0.50	µg/L
Carbon Tetrachloride	ND	1	0.50	µg/L
Chlorobenzene	ND	1	0.50	µg/L
Chloroethane	ND	1	0.50	µg/L
Chloroform	ND	1	0.50	µg/L
Chloromethane	ND	1	0.50	µg/L
cis-1,2-Dichloroethene	ND	1	0.50	µg/L
cis-1,3-Dichloropropene	ND	1	0.50	µg/L
Dibromochloromethane	ND	1	0.50	µg/L
Dibromomethane	ND	1	0.50	µg/L
Dichlorodifluoromethane	ND	1	0.50	µg/L
Diisopropyl Ether	ND	1	5.0	µg/L
Ethyl Benzene	ND	1	0.50	µg/L
Freon 113	ND	1	5.0	µg/L

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054

Phone: (408) 588-0200

Fax: (408) 588-0201

Method Blank - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826

Validated by: ECunniffe - 08/29/05

QC Batch Analysis Date: 8/26/2005

Parameter	Result	DF	PQLR	Units
Hexachlorobutadiene	ND	1	5.0	µg/L
Isopropanol	ND	1	20	µg/L
Isopropylbenzene	ND	1	1.0	µg/L
Methylene Chloride	ND	1	5.0	µg/L
Methyl-t-butyl Ether	ND	1	1.0	µg/L
Naphthalene	ND	1	5.0	µg/L
n-Butylbenzene	ND	1	5.0	µg/L
n-Propylbenzene	ND	1	5.0	µg/L
p-Isopropyltoluene	ND	1	5.0	µg/L
sec-Butylbenzene	ND	1	5.0	µg/L
Styrene	ND	1	0.50	µg/L
tert-Amyl Methyl Ether	ND	1	5.0	µg/L
tert-Butanol (TBA)	ND	1	10	µg/L
tert-Butyl Ethyl Ether	ND	1	5.0	µg/L
tert-Butylbenzene	ND	1	5.0	µg/L
Tetrachloroethene	ND	1	0.50	µg/L
Toluene	ND	1	0.50	µg/L
trans-1,2-Dichloroethene	ND	1	0.50	µg/L
trans-1,3-Dichloropropene	ND	1	0.50	µg/L
Trichloroethene	ND	1	0.50	µg/L
Trichlorofluoromethane	ND	1	0.50	µg/L
Vinyl Chloride	ND	1	0.50	µg/L
Xylenes, Total	ND	1	0.50	µg/L

Surrogate for Blank	% Recovery	Control Limits
4-Bromofluorobenzene	97.2	70 - 125
Dibromofluoromethane	111	70 - 125
Toluene-d8	109	70 - 125

Entech Analytical Labs, Inc.

3334 Victor Court , Santa Clara, CA 95054 Phone: (408) 588-0200 Fax: (408) 588-0201

Laboratory Control Sample / Duplicate - Liquid - EPA 8260B - EPA 8260B

QC Batch ID: WM1050826

Reviewed by: ECunniffe - 08/29/05

QC Batch ID Analysis Date: 8/26/2005

LCS

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	Recovery Limits
1,1-Dichloroethene	<0.50	20	16.3	µg/L	81.5	70 - 130
Benzene	<0.50	20	17.2	µg/L	86.0	70 - 130
Chlorobenzene	<0.50	20	17.0	µg/L	85.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	19.7	µg/L	98.5	70 - 130
Toluene	<0.50	20	17.3	µg/L	86.5	70 - 130
Trichloroethene	<0.50	20	15.8	µg/L	79.0	70 - 130

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	97.4	70	-	125
Dibromofluoromethane	104	70	-	125
Toluene-d8	102	70	-	125

LCSD

Parameter	Method Blank	Spike Amt	SpikeResult	Units	% Recovery	RPD	RPD Limits	Recovery Limits
1,1-Dichloroethene	<0.50	20	14.7	µg/L	73.5	10	25.0	70 - 130
Benzene	<0.50	20	16.4	µg/L	82.0	4.8	25.0	70 - 130
Chlorobenzene	<0.50	20	16.0	µg/L	80.0	6.1	25.0	70 - 130
Methyl-t-butyl Ether	<1.0	20	18.5	µg/L	92.5	6.3	25.0	70 - 130
Toluene	<0.50	20	15.9	µg/L	79.5	8.4	25.0	70 - 130
Trichloroethene	<0.50	20	14.7	µg/L	73.5	7.2	25.0	70 - 130

Surrogate	% Recovery	Control Limits		
4-Bromofluorobenzene	96.8	70	-	125
Dibromofluoromethane	105	70	-	125
Toluene-d8	102	70	-	125

Entech Analytical Labs, Inc.

3334 Victor Court
Santa Clara, CA 95054
(408) 588-0200
(408) 588-0201 - Fax

Chain of Custody / Analysis Request

Attention to:	CHRIS WASH		Phone No.:	510-789-3561		Purchase Order No.:	2210		Invoice to: (If Different)	BRIAN CULNAN		Phone:
Company Name:	CAMERON COLE		Fax No.:	510-337-3994		Project No.:	2210		Company:	SAFETY KIEN		Quote No.:
Mailing Address:	101 W. ATLANTIC AVE #100 CLEVELAND OHIO 44113		Email Address:	CH PARK		Project Name:	CH PARK		Billing Address: (If Different)			
City:	ATLANTA		State:	GA		Project Location:	DOWNTOWN ATLANTA		City:	ATLANTA		State:
Sampler:	Field Org. Code:	Turn Around Time		GC/MS Methods	GC Methods	Matrix		Remarks				
ME		<input type="checkbox"/> Same Day	<input type="checkbox"/> 1 Day									
		<input type="checkbox"/> 2 Day	<input type="checkbox"/> 3 Day									
		<input type="checkbox"/> 4 Day	<input type="checkbox"/> 5 Day									
		<input checked="" type="checkbox"/> 10 Day	<input checked="" type="checkbox"/> Same Day									
Order ID: 44933												
Client ID / Field Point		Lab. No.	Date	Time	Time	No. of Containers	Sample					
PB-02		-001	8/17/05	1740	1740	3						
DNW-3		-002		1805	1805							
MIV-13		-003		1430	1430							
RB-01		-004		1355	1355							
EPA 8260B												
BTEX & MTBE TPH Gas Q by 8260B												
Lead/Silver/Ba/As/Tl/2,4-DCA & EDIB, Eta-Biphenol, PAH, 8270C SIM												
8270C D, Lead/Organic PAH, 8270C SIM												
TPH Extractable, Diesel, Motor Oil, Other												
Pesticides-8081 D PCBs-8082 D												
TPH Gas/Gas/BTEX D, MTBE D by 8015M/8020												
Methanol by 8015M												
Toxic Metals-Circle Below												
Metals: Cr, Ni, Cd, Cu, Fe, Pb, Mg, Mn, Co, Cr, Ce, Ba, Be, Bi, B, Cd, Ca, Cr, Co, Cs, Cu, Fe, Pb, Mg, Mn, (3) VAs, Zn, Ti, Sn, Ti, Zn, V, W, Zr, Ga, Ge, Hg, In, Li, Mo, Ni, P, K, Si, Ag, Na, S, Se, Sr, Ta, Te, Ti, Sn, Ti, Zn, V, W, Zr, CAM-17												
General Chemistry												
EDD Report												
EDF Report												
Plating												
LUFT-5												
RCRA-8												
PPM-13												
CAM-17												
Received by:			Date:	8/19/05		Time:	0945		Special Instructions or Comments			
Relinquished by:			Date:	8/19/05		Time:	1217		PLEASE SEND INVOICE AND COPY OF RESULTS TO BRIAN CULNAN; SEND RECD INSTANT			
Received by:			Date:	8/19/05		Time:			Metals: Al, As, Sb, Ba, Be, Bi, B, Cd, Ca, Cr, Co, Cs, Cu, Fe, Pb, Mg, Mn, (3) VAs, Zn, Ti, Sn, Ti, Zn, V, W, Zr, Ga, Ge, Hg, In, Li, Mo, Ni, P, K, Si, Ag, Na, S, Se, Sr, Ta, Te, Ti, Sn, Ti, Zn, V, W, Zr, CAM-17			
Relinquished by:			Date:			Time:						
June 2004												

APPENDIX C
ACCEPTANCE-REJECTION CRITERIA

ACCEPTANCE - REJECTION CRITERIA

The EPA has established acceptance-rejection criteria for duplicate and replicate samples for the analysis of inorganic compounds ("Laboratory Data Validation - Functional Guidelines for Evaluating Inorganic Analyses", 1988). These criteria were then modified for the analysis of VOCs. To determine whether duplicate or replicate sample results are acceptable, the relative percent difference (RPD) is calculated.

The RPD is defined as:

$$(|X - Y| / \text{Average of } X \text{ and } Y) * 100; \text{ or}$$
$$(|X - Z| / \text{Average of } X \text{ and } Z) * 100$$

X = primary sample result

Y = duplicate sample result

Z = replicate sample result

A duplicate or replicate sample result meets the acceptance criteria if:

- the relative percent difference (RPD) is below 20 percent. (If the RPD falls between 20 and 50 percent, the data is accepted but the percent difference is noted. If the RPD exceeds 50 percent the data is rejected.); and
- the sample concentration is five times higher than the quantitation limit. (The quantitation limit is provided by the analytical laboratory for each compound and is typically 2 to 5 times the method detection limit of the specific analysis.)

Since relatively small differences between low VOC concentrations will result in high RPDs, the criteria are not applied to concentrations below 10 parts per billion.